

communication module EtherNet IP ModbusTCP MultiDrive Link , Altivar, 10 or 100Mbps, 2 x RJ45 connectors

VW3A3721

Main

Main		
Range of product	Altivar	
Product or component type	Communication module	
Complementary		
Range compatibility	Altivar Process ATV600 Altivar Process Modular	
Communication port protocol	MD-Link EtherNet/IP Modbus TCP	
Electrical connection	2 connectors RJ45, Ethernet IP/Modbus TCP/MD-Link	
Transmission rate	10/100 Mbps	
Exchange mode	Half duplex and full duplex	
Communication service	SNMP agent for Ethernet IP Modbus TCP server for Ethernet IP/Modbus TCP Ethernet/IP adapter for Ethernet IP RSTP support for Ethernet IP FTP for Ethernet IP ODVA AC drive and CiA 402 profile for Ethernet IP/Modbus TCP Auto-MDIX for Ethernet IP/Modbus TCP 32 parameters IN - 32 parameters OUT implicit messaging for Ethernet IP/Modbus TCP FDR for Ethernet IP/Modbus TCP	
Communication network type	IPv6 (internet protocol)	
Topology	Daisy chain	
Time synchronisation protocol	SNTP	
Web server	Embedded HTTP server	
Web services	Widgets (ID, control, data table, diagnostic, charts) Energy monitoring Customizable home page Save/restore drive configuration Ethernet setting and diagnostic Pump function setting and monitoring Upgrade drive firmware Drive monitor Drive setting and diagnostic	
Display type	1 LED for MS (Module Status) 1 LED for NS (Network Status) 1 LED for TX/RX (Transmit/Receive port 1) 1 LED for TX/RX (Transmit/Receive port 2)	
Bus profile	CIP AC Drive CiA 402	

0.2 kg

Net weight

Environment

Product certifications	ODVA
	Achilles: level 2

Packing Units

_	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	6.5 cm
Package 1 Width	13.0 cm
Package 1 Length	19.0 cm
Package 1 Weight	151.0 g
Unit Type of Package 2	S03
Number of Units in Package 2	16
Package 2 Height	30.0 cm
Package 2 Width	30.0 cm
Package 2 Length	40.0 cm
Package 2 Weight	2.917 kg



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

∅ Environmental footprint	
Total lifecycle Carbon footprint	4
Environmental Disclosure	Product Environmental Profile

Use Better

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
SCIP Number	Eabe1c38-4fea-4053-a04b-f026433c8b42
REACh Regulation	REACh Declaration
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
PVC free	Yes

Use Again

○ Repack and remanufacture	
End of life manual availability	No need of specific recycling operations
Take-back	No