

Product data sheet

Specifications



Modicon M172 Performance Display Graphic

TM172DGRP

Main

Range of product	Modicon M171/M172
Product or component type	Display module
Display colour	Monochrome
Supply	External source

Complementary

Display type	Backlit LCD
Number of key	5
Display resolution	128 x 64 pixels
Colour	Grey
[Us] rated supply voltage	24 V AC/DC
Power consumption in W	2 W
Marking	CE
Realtime clock	With clock
Local signalling	3 LEDs (green)
Product compatibility	Logic controller M171 performance
Height	160 mm
Width	90 mm
Depth	27 mm
Product weight	0.197 kg

Environment

Standards	UL 94
Product certifications	cURus

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	13.400 cm
Package 1 Width	9.300 cm
Package 1 Length	18.700 cm
Package 1 Weight	262.000 g

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Unit Type of Package 2	S02
Number of Units in Package 2	6
Package 2 Height	15.000 cm
Package 2 Width	30.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	1.823 kg

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint	
Total lifecycle Carbon footprint	81
Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
SCIP Number	9df2a50e-e56f-424a-a1f1-2d337ded9bc1
REACH Regulation	REACH Declaration
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Use Again

Repack and remanufacture	
End of life manual availability	End of Life Information
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins