







## Aluminium bare cable connectors, ComPacT NSX, for 6 cables 1.5mm<sup>2</sup> to 35mm<sup>2</sup>, 250A, set of 3 parts

LV429248

### Main

Product or component type	Bare cable connector  Connection accessory	
Accessory / separate part category		
Range compatibility	ComPacT ComPacT NSX100	
	ComPacT ComPacT NSX160	
	ComPacT ComPacT NSX250	
	ComPacT ComPacT NSX DC	
	ComPact Compact NSX100	
	ComPact Compact NSX160	
	ComPact Compact NSX250	
	ComPact Compact NSX100 DC	
	ComPact Compact NSX160 DC	
	ComPact Compact NSX250 DC	
	EasyPact EasyPact CVS100	
	EasyPact EasyPact CVS160	
	EasyPact EasyPact CVS250	
	ComPact Compact INS100250	
	ComPact Compact INV100250	
Poles description	3P	
Quantity per set	Set of 3	

## Complementary

[In] rated current	250 A
Conductor material	Aluminium
Connections - terminals	Screw terminal6 cable(s) 1.535 mm²

### **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.300 cm
Package 1 Width	9.500 cm
Package 1 Length	15.500 cm
Package 1 Weight	349.500 g
Unit Type of Package 2	S03
Number of Units in Package 2	30
Package 2 Height	30.000 cm
Package 2 Width	30.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	10.807 kg

# **Contractual warranty**

Warranty

18 months

Aug 30, 2025



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

#### Environmental Data explained >

How we assess product sustainability >

☑ Environmental footprint	
Total lifecycle Carbon footprint	3
Environmental Disclosure	Product Environmental Profile

### **Use Better**

<b>⊗</b> Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACh Regulation	REACh Declaration
California proposition 65	WARNING: This product can expose you to chemicals including: Nickel compounds, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov
Halogen-free status	Product contains halogen above thresholds

#### **Use Again**

○ Repack and remanufacture	
End of life manual availability	No need of specific recycling operations
Take-back	No
WEEE Label	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins