

# collaborative robot, Lexium Cobot, maximum payload 5kg

LXMRL05S0000

## Main

Range of product	Lexium Cobot
Product or component type	Collaborative robot
maximum payload	5 kg
operating radius	954 mm
positioning accuracy	+/- 0.02 mm
degree of freedom	6
programming	Graphical drag & drop
teach-in device	Ipad ios app Android app

# Complementary

maximum speed	180°/s joint 1 +/- 360° 180°/s joint 2 -85, +265° 180°/s joint 3 +/- 175° 180°/s joint 4 -85, +265° 180°/s joint 5 +/- 360° 180°/s joint 6 +/- 360°	
Rated voltage	24 V	
digital input number	2	
Digital output number	2	
Analogue input number	2	
Power consumption in W	350 W	
Mounting position	Any position	
screw type	M8	
Standards	GB 11291.1:2011 EN/ISO 10218-1:2011	

EN 60204-1:2018 EN/ISO 12100:2010 EN/ISO 13849-1:2015 EN 61000-6-2:2005 EN 61000-6-4:2007+A1:2011 ISO 13849-1:2015 ISO 13849-2:2012 ISO 14644-1 ISO 9001:2015 UL 1740 ANSI/RIA R15.06 CAN/CSA Z434 NFPA 79

CAN/CSA C22.2 No. 24

REACH RoHS

Marking	CE KC TÜV
Material	Aluminium
base diameter	158 mm
Cable length	6 m
Product weight	23 kg

# **Environmental**

IP degree of protection	IP54
Ambient air temperature for operation	050 °C

# **Packing Units**

•	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	41.500 cm
Package 1 Width	44.500 cm
Package 1 Length	65.000 cm
Package 1 Weight	25.478 kg
Unit Type of Package 2	P12
Number of Units in Package 2	4
Package 2 Height	105.000 cm
Package 2 Width	80.000 cm
Package 2 Length	120.000 cm
Package 2 Weight	115.000 kg



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

#### Environmental Data explained >

How we assess product sustainability >

# **⊘** Environmental footprint

Environmental Disclosure

Product Environmental Profile

#### **Use Better**

Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACh Regulation	REACh Declaration

#### **Use Again**

○ Repack and remanufacture	
End of life manual availability	End of Life Information
Take-back	No

Image of product / Alternate images

## **Alternative**











