

Die cast empty control station, Harmony XAP, XB2 SL, zinc alloy, grey, 1 cut out, 22mm, 80x80 x77mm

XAPG19501

## Main

| mann                          |   |  |
|-------------------------------|---|--|
| Range of product              | Harmony XAP   |  |
| Product or component type     | Die-cast empty control station                                |  |
| Device short name             | XAPG  |  |
| Product destination           | For Ø 22 mm control and signalling units                      |  |
| Number of cut-out             | 1 cut-out   |  |
| Colour of base of enclosure   | Grey (RAL 7032)   |  |
| Colour of cover               | Grey (RAL 7032)   |  |
| Control station type          | Metal   |  |
| Material                      | Die cast zinc   |  |
| Sale per indivisible quantity | 1   |  |
| IP degree of protection       | IP65 conforming to IEC 60529<br>IP657 conforming to IEC 60529 |  |
| Resistance to chemical agents | Special treatment can be obtained on request                  |  |

## Complementary

| Number of vertical rows   | 1                              |  |
|---------------------------|--------------------------------|--|
| Number of horizontal rows | 1                              |  |
| Cut-out dimensions        | Ø 22 mm                        |  |
| Cable entry               | cable gland<br>1 x cable gland |  |
| Thread type               | 3/4 NPT                        |  |
| CAD overall width         | 80 mm                          |  |
| CAD overall height        | 80 mm                          |  |
| CAD overall depth         | 77 mm                          |  |
| Product weight            | 0.734 kg                       |  |
| Compatibility code        | XAPG                           |  |

## **Environment**

| Protective treatment                  | ТН  |  |
|---------------------------------------|---|--|
| Ambient air temperature for storage   | -4070 °C  |  |
| Ambient air temperature for operation | -2570 °C  |  |
| Electrical shock protection class     | Class I conforming to IEC 60536 Class I conforming to NF C 20-030 |  |

Aug 30, 2025 Life Is On Schneider

IK degree of protection IK07 conforming to IEC 62262

# **Packing Units**

| •                            |           |
|------------------------------|-----------|
| Unit Type of Package 1       | PCE       |
| Number of Units in Package 1 | 1         |
| Package 1 Height             | 8.600 cm  |
| Package 1 Width              | 8.800 cm  |
| Package 1 Length             | 9.200 cm  |
| Package 1 Weight             | 782.000 g |
| Unit Type of Package 2       | S02       |
| Number of Units in Package 2 | 12        |
| Package 2 Height             | 15.000 cm |
| Package 2 Width              | 30.000 cm |
| Package 2 Length             | 40.000 cm |
| Package 2 Weight             | 9.766 kg  |



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

#### Environmental Data explained >

How we assess product sustainability >

| <b>⊘</b> Environmental footprint |                               |
|----------------------------------|-------------------------------|
| Total lifecycle Carbon footprint | 6                             |
| Environmental Disclosure         | Product Environmental Profile |

## **Use Better**

| Materials and Substances               |  |
|--|--|
| Packaging made with recycled cardboard | Yes  |
| Packaging without single use plastic   | Yes  |
| EU RoHS Directive                      | Pro-active compliance (Product out of EU RoHS legal scope)   |
| California proposition 65              | WARNING: This product can expose you to chemicals including: Nickel compounds, which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov |

## **Use Again**

| ○ Repack and remanufacture      |  |
|---------------------------------|--|
| End of life manual availability | No need of specific recycling operations |
| Take-back                       | No                                       |

Image of product / Alternate images

## **Alternative**











