

Straight length, Powerbus busway, max 225A rated, 600VAC, 3 phase, 4 wire, 4A config, 10ft

PBCE4A225AST120B

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Product or Component Type	Straight length
Range of Product	Powerbus

Complementary

Line Rated Current	225 A	
Busbar Configuration	4A L1 + L2 + N + L3	
Busbar Material	Silver plated copper: busbar	
Integral Ground	50 percent capacity integral ground bus	
Voltage Rating	600 V AC	
Number of Phases	3 phase	
Wiring Configuration	4-wire (100 percent neutral)	
Length	10 ft (3.05 m)	
Enclosure material	Painted aluminium Black	
Number of openings	10 each side	

Environment

IP Degree of Protection IP40

Ordering and shipping details

Category	US10PE820171	
Discount Schedule	0PE8	
Returnability	Yes	

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Weight	51.000 lb(US) (23.133 kg)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental footprint

Environmental Disclosure

Product Environmental Profile

Use Better

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant with Exemptions
REACh Regulation	REACh Declaration
California proposition 65	WARNING: This product can expose you to chemicals including: Nickel compounds, which is known to the State of California to cause cancer, and Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Use Again

○ Repack and remanufacture	
Circularity Profile	End of Life Information
Take-back	No