

Wall mounted steel enclosure, PanelSeT S3DC, plain door, without plain chasis, 400x400x200mm, IP66, IK10

NSYS3DC4420

Product availability: Stock - Normally stocked in distribution facility

Main

Range	PanelSeT	
Product name	PanelSeT S3DC	
Application	Multi-purpose	
Category	Compact enclosure	
Enclosure nominal height	15.7 in (400 mm)	
Enclosure nominal width	15.7 in (400 mm)	
Enclosure nominal depth	7.9 in (200 mm)	
Door type	Solid	
Mounting plate description	Without mounting plate	
Type of gland plate	Without gland plate	
Installation accessory type	Wall-mounting	
Device composition	1 body 1 door 1 lock	

Complementary

body type	Gutter-shaped front profile double sheet thickness Single piece body	
Number of doors	Front face 1	
Door opening side	Reversible 120 °)	
Lock type	Screw driver insert lock	
Accessibility for operation	Front	
Removable parts	Door by hinges	
Material	steel	
Surface finish	epoxy-polyester powder	
color	Gray RAL 7035)	
Standards	IEC 62208 UL CUL	
Product Certifications	UL	
Net Weight	15.98 lb(US) (7.25 kg)	

Environment

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

NEMA Degree of Protection	NEMA 4X/13
IK degree of protection	IK10 IEC 62262
IP degree of protection	IP66 IFC 60529

Ordering and shipping details

Category	US10ES180034	
Discount Schedule	0ES1	
GTIN	3606480314025	
Returnability	Yes	
Country of origin	FR	

Packing Units

•	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	9.84 in (25.000 cm)
Package 1 Width	16.73 in (42.500 cm)
Package 1 Length	19.69 in (50.000 cm)
Package 1 Weight	15.984 lb(US) (7.250 kg)
Unit Type of Package 2	PAM
Number of Units in Package 2	32
Package 2 Height	72.44 in (184.000 cm)
Package 2 Width	39.37 in (100.000 cm)
Package 2 Length	47.24 in (120.000 cm)
Package 2 Weight	546.747 lb(US) (248.000 kg)

Contractual warranty

Coverage	Core product
Warranty	18 months



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

☑ Environmental footprint	
Carbon footprint (kg CO2 eq, Total Life cycle)	68
Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
SCIP Number	E893f0a0-d2cc-4011-9425-3873dde70142
REACh Regulation	REACh Declaration

Use Again

○ Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No