



Circuit breaker accessory, PowerPacT P, lug kit, mechanical, 1200A, 3/0 AWG to 750kcmil, unit mount, Al, qty 3

AL1200P7KU

Product availability: Stock - Normally stocked in distribution facility

### Main

Range of Product	PowerPact P
Product or Component Type	Mechanical lug
Accessory / separate part category	Connection accessory
Quantity per Set	Set of 3
Circuit breaker type	PGL PJL
	PLL PLL
	FLL

### Complementary

Line Rated Current	1200 A
Material	Aluminium
Mounting Mode	Unit mount
Fixing Mode	By screws
Location of connection	Downstream Upstream
AWG gauge	AWG 3/0600 kcmil aluminium/copper AWG 3/0750 kcmil aluminium
Kcmil size	750 kcmil
Tightening torque	442.5 lbf.in (50 N.m) 0.10.6 in² (95380 mm²) (AWG 3/0750 kcmil)

### **Environment**

<b>Product Certifications</b>	UL
	CSA

# Ordering and shipping details

Category	US10DE201078
Discount Schedule	0DE2
GTIN	785901654766
Returnability	Yes
Country of origin	US

## **Packing Units**

Unit Type of Package 1	PCE		
------------------------	-----	--	--

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Number of Units in Package 1	1
Package 1 Height	6.00 in (15.240 cm)
Package 1 Width	8.00 in (20.320 cm)
Package 1 Length	12.00 in (30.480 cm)
Package 1 Weight	4.361 lb(US) (1.978 kg)

# **Contractual warranty**

Warranty 18 months



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

#### **Use Better**

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACh Regulation	REACh Declaration
California proposition 65	WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov
PVC free	Yes

### **Use Again**

○ Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No