Product data sheet Characteristics

TCSECL1M3M10S2

Ethernet ConneXium cable - M12 connector - RJ45 connector - IP67 - 10 m



Main Range of Product ConneXium Accessory / separate Connection accessories part category Accessory / Separate Connecting cable Part Type **Product or Component** Ethernet copper cable for IP67 switch Accessory / separate Ethernet IP67 switch part destination 32.81 ft (10 m) Cable length

Complementary

Range Compatibility	Transparent Ready	
	Modicon M340 automation platform	
	Twido	
	Ositrack RFID	
Electrical connection	1 male connector, M12 straight 4 D coding	
	1 male connector, RJ45 straight	
Conductor material	Copper	
Net Weight	1.14 lb(US) (0.515 kg)	

Environment

IP Degree of Protection	IP67
-------------------------	------

Ordering and shipping details

Category	18407-WORLD SERVICE PARTS(SENSORS)	
Discount Schedule	Т	
GTIN	3595863887617	
Returnability	No	
Country of origin	DE	

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.18 in (3.000 cm)
Package 1 Width	8.86 in (22.500 cm)
Package 1 Length	8.86 in (22.500 cm)
Package 1 Weight	15.45 oz (438.000 g)
Unit Type of Package 2	S04
Number of Units in Package 2	30
Package 2 Height	11.81 in (30.000 cm)
Package 2 Width	15.75 in (40.000 cm)
Package 2 Length	23.62 in (60.000 cm)
Package 2 Weight	30.54 lb(US) (13.852 kg)

Offer Sustainability

California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
China RoHS Regulation	China RoHS Declaration
RoHS exemption information	₫Yes
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End Of Life Information

Contractual warranty

- · · · · · · · · · · · · · · · · · · ·		
Warranty	18 months	