






THIS DOCUMENT IS THE PROPERTY OF
KEYSTONE ELECTRONICS CORP. AND
SHALL NOT BE REPRODUCED, DISTRIBUTED
OR USED AS A BASIS FOR MANUFACTURE
WITHOUT PRIOR WRITTEN PERMISSION
FROM KEYSTONE ELECTRONICS CORP.



$\pm .005$ [± 0.15]
 $\varnothing .093$ [$\varnothing 2.36$] DIA.
(2) PLS



NOTE:

1. CLIP MAT'L: .010 [0.25] TH'K PHOSPHOR BRONZE
INSULATOR MAT'L: HIGH TEMPERATURE NYLON-46, UL 94V-0
COLOR: NATURAL.
2. CLIP FINISH: TIN-NICKEL PLATE

KEYSTONE ELECTRONICS CORP.

www.keyelco.com • NEW HYDE PARK NY 11040 • Tel (516)328-7500

PART NAME

INSULATED SM COIN CELL CLIP

MATERIAL

AS NOTED

FINISH

AS NOTED

DRN BY

NT

DATE

1.30.08

APP'D

RH

SCALE

2X

TOLERANCES

INCH [MM]

DECIMAL

$\pm .010$ [± 0.25]

ANGULAR

$\pm 1^\circ$

UNLESS OTHERWISE SPECIFIED

CODE

C

DWG NO.

3020

2.25.25

UPDATED INSULATOR MAT'L.

B

8.10.09

CHANGE AS PER ECN 110

A

DATE

DESCRIPTION

REV.