

THIS DOCUMENT IS THE PROPERTY OF KEYSTONE ELECTRONICS CORP. AND SHALL NOT BE REPRODUCED, DISTRIBUTED OR USED AS A BASIS FOR MANUFACTURE WITHOUT PRIOR WRITTEN PERMISSION FROM KEYSTONE ELECTRONICS CORP.





NOTES:

TAPE AND REEL SPECIFICATIONS:

1 TAPE

MAT'L - ALL CONDUCTIVE POLYSTYRENE CARRIER ANSI/EIA-481 STANDARD .945 [24.0] WIDE; .630 [16.0] PITCH 2 REEL:

15.0 [380.8] DIA. 1000 PIECES OF PART NO. 934 PER REEL.

3. MYLAR TAPE ADDED TO TOP SURFACE OF EACH PART

			L
9.22.22	PARTS ROTATED 90° CLOCKWISE CHANGE AS PER ECN 22-152	D	1
5.05.16	ECN 16-052, ADD NOTE #3	С	H
7.09.12	CHANGE AS PER ECN 12-084	В	
12.01.11	CHANGE AS PER ECN 11-160	Α	
DATE	DESCRIPTION	REV.	֓֞֜֜֟֜֜֓֓֓֓֓֓֟֜֜֟֜֟֓֓֓֓֟֜֟֜֓֓֓֓֓֡֟֜֟֜֓֓֓֡֓֡֡֡֡֡֡֓֓֡֡֡֡֓֓֡֡֡֡

	KEYSTONE ELECTRONICS CORP.				
	www.keyelco.com • NEW HYDE PARK NY 11040 • Tel (516)328-7500				
	PART NAME				
	USB MINI SOCKET ON TAPE				
	MATERIAL				
	AS NOTED				
_	FINISH AS NOTED	BOONE DATE 12.19.06			
	AS NOTED	APP'D RH SCALE 1X			
	TOLERANCES INCH [MM] CODE	DWG NO.			
	DECIMAL ± .015 [± 0.38] ANGULAR ± 1° UNLESS OTHERWISE SPECIFIED	934TR			