

#### **AMPLIMITE**

TE Internal #: 2301835-2

25 Position D-Shaped Connector, Plug, Wire-to-Board, Board

Mount, 3 Shell Size, 2.77 mm [.109 in] Centerline, Printed Circuit

Board, Signal

View on TE.com >



Connectors > D-Shaped Connectors > D-Sub Plug Assembly: Vertical, Shell Size 3, 2.74mm











Number of Positions: 25

Connector & Housing Type: Plug
Connector System: Wire-to-Board

Connector Mounting Type: Board Mount

Connector Shell Size: 3

All D-Sub Plug Assembly: Vertical, Shell Size 3, 2.74mm (28)

## **Features**

### **Product Type Features**

Connector & Housing Type	Plug
Connector System	Wire-to-Board
Connector Shell Size	3
Connector & Contact Terminates To	Printed Circuit Board
Configuration Features	
Number of Positions	25
Number of Rows	2
PCB Mount Orientation	Vertical
Body Features	
Primary Product Color	Black
Connector Profile	High



Contact Shape & Form	Round
Contact Current Rating (Max)	1.5 A
Contact Options	Installed
Termination Features	
Termination Method to PCB	Through Hole - Solder
Termination Post & Tail Diameter	.6 mm[.023 in]
Mechanical Attachment	
Connector Mounting Type	Board Mount
PCB Mount Retention	With
PCB Mount Retention Type	Boardlock
Mating Retention	With
Mating Retention Type	4-40 Screwlock
Housing Features	
Housing Material	PBT GF
Centerline (Pitch)	2.77 mm[.109 in]
Dimensions	
Row-to-Row Spacing	2.84 mm[.111 in]
Usage Conditions	
Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
Operation/Application	

# **Product Compliance**

Circuit Application

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) SVHC > Threshold: Pb (2.33% in M-8882-4) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Signal



Halogen Content	Not Low Halogen - contains Br or Cl > 900
	ppm.

### Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# Compatible Parts



# Customers Also Bought























### **Documents**

### **Product Drawings**

AMPL PLUG HD20, VERT, 25P, B/L,4-40 S/LO

English

### **CAD Files**

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_2301835-2\_A.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2301835-2\_A.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2301835-2\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

## **Product Specifications**

**Product Specification** 

English