




Automotive Parts > Automotive Connectors > Data Connectivity Housings



Connector System: **Wire-to-Wire**  
Sealable: **Yes**  
Cable Exit Angle: **180°**  
Number of Positions: **14**  
Connector & Keying Code: **A**

Features

Product Type Features

Connector & Contact Terminates To	Wire & Cable
Mixed & Hybrid Connector	Yes
Primary Locking Feature	Locking Lance, On the Terminal
Connector System	Wire-to-Wire
Sealable	Yes
Connector & Housing Type	Housing for Male Terminals

Configuration Features

Number of Rows	2
Number of Positions	14

Electrical Characteristics

Operating Voltage	60 VDC
-------------------	--------

Body Features

Ferrule	With
Body Material	PBT GF



Cable Exit Type	Straight to Angled, Straight to Straight
Cable Exit Angle	180°
Connector & Keying Code	A

Contact Features

Outer Contact Plating Material	Tin (Sn)
RF Connector Center Contact Plating Material	Silver (Ag)
Contact Mating Area Plating Material	Silver (Ag)
Center Contact	With
Contact Type	Tab
Mating Tab Width	.5 mm, 1.6 mm[.019 in][.062 in]
Mating Tab Thickness	.4 mm, .6 mm[.015 in][.023 in]
Contact Current Rating (Max)	3 A, 20 A

Termination Features

Termination Method to Wire & Cable	Crimp
------------------------------------	-------

Mechanical Attachment

Panel Attachment Style	Rear Mount
Mating Retention	With
Connector Mounting Type	Panel Mount

Housing Features

Housing Color	Black
Centerline (Pitch)	4 mm[.157 in]

Dimensions

Product Width	52.8 mm[2.07 in]
Product Length	62.5 mm[2.46 in]
Connector Height	39.8 mm[1.56 in]

Usage Conditions

Operating Temperature (Max)	125 °C[257 °F]
Cable Type	STP, UTP
Operating Temperature Range	-40 – 125 °C[-40 – 257 °F]

Operation/Application

Operating Frequency Range	0 – 1 GHz, 0 – .1 GHz
Shielded	Yes



Circuit Application	Power & Signal
---------------------	----------------

Industry Standards

IP Rating	IP67, IP6K9K
Compatible With Agency/Standards Products	ISO 8092

Packaging Features

Packaging Method	Box
------------------	-----

Other

Connector Position Assurance Capable	No
Dielectric Material	PA

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # CAT-H3399-SL34  
Heavy Duty Sealed Connector Series  
Fixing Slides



TE Part # 1564411-8  
SLIDE,TAB HSG GROUP E



TE Part # 2112297-1  
PROTECTION CAP,GROUP E,ASSY



TE Part # 2348770-3  
HD MATEnet - COVER FOR SWS



TE Part # CAT-H3399-B128  
Heavy Duty Sealed Connector Series  
Backshells



TE Part # 2356256-1  
HD MATEnet BLIND PLUG



TE Part # 2348771-2  
HD MATEnet SWS



TE Part # 9-2348795-1  
HD MATEnet 1+12 REC HSG ASSY,  
GRP E



TE Part # 2348770-1  
HD MATEnet - COVER FOR SWS




TE Part # 2348770-2  
HD MATEnet - COVER FOR SWS




TE Part # 2348771-1  
HD MATEnet SWS

Also in the Series | [Heavy Duty Sealed Connector Series](#)



Automotive Connector Caps & Covers  
(25)



Automotive Housings(215)



Data Connectivity Housings(26)

Customers Also Bought



TE Part #HDP26-24-31PT-L015  
PLG, 31P, BLK, T, THD, 16, P



TE Part #926823-4  
AM WIRE PIN 20-17 .013 PTPB



TE Part #2-1563759-1  
18POS,AMP MCP1.5K,REC HSG,ASSY



TE Part #2112323-1  
SINGLE WIRE SEAL,MT 2,VT








TE Part #9-2348795-1  
HD MATEnet 1+12 REC HSG ASSY, GRP E



TE Part #9-2354248-1  
HD MATEnet 1+2 TAB ASSY, GRP C, FLANGED



TE Part #2357921-1  
BACKSHELL, CONN KIT



TE Part #282087-2  
AMP SUPERSEAL 1.5 SERIES 3P PL



TE Part #1-2317142-4  
M12 X-CODE CABLE ASSY. (PLUG-PLUG) 2.5 M



TE Part #2362767-5  
MATENET, CABLE ASSY, 1 GBPS UTP

Documents

Product Drawings

HD MATEnet 1+12 TAB ASSY, GRP E, FLANGED

English

CAD Files

Customer View Model

ENG\_CVM\_CVM\_9-2348798-1\_A.3d\_stp.zip

English

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_9-2348798-1\_A.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_9-2348798-1\_A.3d\_igs.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

English