

Panduit Limited Solar Product Warranty

Effective Date: January 1, 2024

- 1. Limited Solar Product Warranty.** For purposes of this Limited Solar Product Warranty, “**Panduit**” means Panduit Corp. and its subsidiaries and affiliates (the “**Affiliates**”). “**Panduit solar products**” means all products that Panduit and its Affiliates manufacture and/or sell with Panduit or its Affiliates’ brand-names explicitly marketed for use in solar or long-term outdoor installations and found in Appendix A. When installed in accordance with recommended installation methods and properly tested in application, Panduit warrants that the Panduit solar product, and each part or component of the Panduit solar product, will comply with Panduit’s published specifications, will meet common agency test requirements, and will be free from defects in material and workmanship for a period of 20 years from the date of invoice from Panduit or its authorized distributor, not to exceed 21 years from the original date of shipment from Panduit’s facility (the “**Warranty Period**”).
- 2. Remedies.** Panduit’s sole and exclusive obligation and Buyer’s exclusive remedy under this warranty is Panduit’s replacement of the defective Panduit solar product. Buyer-requested onsite warranty service is not covered and will be at Buyer’s sole expense, unless authorized in writing by Panduit in advance. Panduit has the right to either request proof of proper installation, examine the Panduit product where it is located or, in its sole discretion, issue shipping instructions for return of the Panduit solar product to Panduit or Panduit’s third-party authorized service center. Where applicable, Buyer must return the defective product, part or component, transportation prepaid to Panduit’s customer service department or Panduit’s third-party authorized service center accompanied by Panduit’s Return Material Authorization. If Panduit confirms that there is a defect that is covered by this warranty, the replaced Panduit product will be warranted for the remainder of the warranty period applicable to the originally shipped Panduit solar product, or for a period of 90 days from the date of shipment to Buyer, whichever is longer. If requested by Panduit, Buyer must provide a proof of purchase, including date of purchase, in order to receive warranty coverage.
- 3. No Warranty for Third-Party Branded Products.** Panduit makes no representations and disclaims all warranties of any kind, express or implied relative to any third-party branded product or service, including any Panduit product repackaged outside of Panduit manufacturing processes. To the extent any warranties extended to Panduit by the third-party manufacturer are transferable, Panduit will transfer such warranties to Buyer and any enforcement of such third-party warranties shall be between Buyer and the third-party. Panduit does not warrant the compatibility of Panduit products with the products of other manufacturers or Buyer’s application except to the extent expressly represented in Panduit’s published specifications, written quotation or statement of work.
- 4. Exclusions.** This Limited Solar Product Warranty is void if Buyer purchases the Panduit products from anyone other than a Panduit Authorized Distributor or an authorized reseller. Before using, Buyer shall determine the suitability of the Panduit product for the intended use and Buyer assumes all risk and liability whatsoever in connection therewith. The warranties contained herein shall not

apply to any Panduit product that has been modified by persons other than Panduit or persons authorized by Panduit. In addition, this warranty does not cover any defects resulting from: (a) normal wear and tear, (b) misuse or abuse; (c) neglect; (d) improper storage, handling, operations, maintenance, repair or alteration; (e) accidental damage beyond Panduit's control such as fire, storm or water damage; (f) operation outside of the environmental specifications for the products; (g) repairs or alterations made by parties unauthorized by Panduit; (h) installation with non-Panduit branded installation tools or Panduit installation tools that have not been properly calibrated for the installation; or (i) improper installation or inadequate site preparation or maintenance by Buyer.

5. LIMITATION ON LIABILITY. THE WARRANTIES PROVIDED HEREIN ARE BUYER'S SOLE AND EXCLUSIVE WARRANTIES. ALL IMPLIED WARRANTIES, INCLUDING WITHOUT LIMITATION THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR USE ARE DISCLAIMED. TO THE EXTENT PERMITTED BY LAW, IN NO EVENT SHALL PANDUIT BE LIABLE FOR ANY LOSSES OR DAMAGES ARISING FROM ANY PANDUIT SOLAR PRODUCT WHETHER DIRECT, INDIRECT, CONSEQUENTIAL, INCIDENTAL OR SPECIAL, INCLUDING WITHOUT LIMITATION ANY CLAIM FOR LOSS OF DATA, LOSS OF ACTUAL OR ANTICIPATED REVENUE, PROFITS OR SAVINGS.

6. General. This Limited Solar Product Warranty applies to the Panduit solar products only and not to any combination or assembly of the Panduit products. Nothing in this Limited Solar Product Warranty shall be construed to provide Buyer with a warranty for any system implementation using Panduit products.

APPENDIX A

Catalog # Description		Catalog # Description	
Nylon 6/12 Cable ties		ETFE Cable Ties and Accessories	
PLT1.5I-M6120	Cable Tie, Black,UV Nylon 612,5.6"L, 25lb, PK1000	PLT1M-C76	Cable Tie, 4.0L (102mm), Miniature, Tefzel, Aqua
PLT2S-M6120	Cable Tie, Black,UV Nylon 612,7.4"L, 50lb, PK1000	PLT1M-M76	Cable Tie, 4.0L (102mm), Miniature, Tefzel, Aqua
PLT4S-C6120	Cable Tie, Black,UV Nylon 612,14.5"L, 50lb, PK100	PLT2I-C76	Cable Tie, 8.0L (203mm), Intermediate, Tefzel, Aqua
PLT7LH-C6120	Cable Tie, Black,UV Nylon 612,24.7"L, 120lb, PK100	PLT2I-M76	Cable Tie, 8.0L (203mm), Intermediate, Tefzel, Aqua
PLT4S-M6120	Cable Tie, Black,UV Nylon 612,14.5"L, 50lb, PK1000	PLT2S-C76	Cable Tie, 7.4L (188mm), Standard, Tefzel, Aqua
PLT2.5S-M6120	Cable Tie, Black,UV Nylon 612,9.8"L, 50lb, PK1000	PLT2S-M76	Cable Tie, 7.4L (188mm), Standard, Tefzel, Aqua
PLT3S-M6120	Cable Tie, Black,UV Nylon 612,11.5"L, 50lb, PK1000	PLT3H-L76	Cable Tie, 11.4L (290mm), Light-Heavy, Tefzel, Aqua
PLT1M-C6120	Cable Tie, Black,UV Nylon 612,3.9"L, 20lb, PK100	PLT3H-TL76	Cable Tie, 11.4L (290mm), Light-Heavy, Tefzel, Aqua
PLT1.5I-C6120	Cable Tie, Black,UV Nylon 612,5.6"L, 25lb, PK100	PLT3S-C76	Cable Tie, 11.6L (295mm) Standard, Tefzel, Aqua
PLT1M-M6120	Cable Tie, Black,UV Nylon 612,3.9"L, 20lb, PK1000	PLT3S-M76	Cable Tie, 11.6L (295mm) Standard, Tefzel, Aqua
PLT2S-C6120	Cable Tie, Black,UV Nylon 612,7.4"L, 50lb, PK100	PLT4H-L76	Cable Tie, 14.6L (371mm), Light-Heavy, Tefzel, Aqua
PLT8LH-C6120	Cable Tie, Black,UV Nylon 612,27.6"L, 120lb, PK100	PLT4H-TL76	Cable Tie, 14.6L (371mm), Light-Heavy, Tefzel, Aqua
PLT3S-C6120	Cable Tie, Black,UV Nylon 612,11.5"L, 50lb, PK100	PLT4S-C76	Cable Tie, 14.6L (371mm), Standard, Tefzel, Aqua
PLT4H-TL6120	Cable Tie, Black,UV Nylon 612,14.5"L, 120lb, PK250	PLT4S-M76	Cable Tie, 14.6L (371mm), Standard, Tefzel, Aqua
PLT2.5S-C6120	Cable Tie, Black,UV Nylon 612,9.8"L, 50lb, PK100	TM2S8-C76	Tie Mount, #8 (M4) Screw, Tefzel, Aqua Blue
Nylon 12 Cable ties		TM3S10-C76	Tie Mount, #10 (M5) Screw, Tefzel, Aqua Blue
PLT1.5I-C120	Cable Tie, 5.6"L (142mm), Intermediate, Nylon 12, Black	TM3S8-C76	Tie Mount, #8 (M4) Screw, Tefzel, Aqua Blue
PLT1.5I-M120	Cable Tie, 5.6L (142mm), Intermediate, Nylon 12, Black	Dura Ty(tm) Extruded Strap and Heads	
PLT1M-M120	Cable Tie, 3.9"L (99mm), Miniature, Nylon 12, Black	DT14EH-C0	Cable Tie, 48L (1219mm), Extra-Heavy, Acetal, Black
PLT2.5S-C120	Cable Tie, 9.8"L (249mm), Standard, Nylon 12, Black	DT14EH-L0	Cable Tie, 48L (1219mm), Extra-Heavy, Acetal, Black
PLT2.5S-M120	Cable Tie, 9.8"L (249mm), Standard, Nylon 12, Black	DT28EH-C0	Cable Tie, 96L (2438mm), Extra-Heavy, Acetal, Black
PLT2S-C120	Cable Tie, 7.4L (188mm), Standard, Nylon 12, Black	DT44EH-C0	Cable Tie, 144L (3658mm), Extra-Heavy, Acetal, Black
PLT2S-M120	Cable Tie, 7.4L (188mm), Standard, Nylon 12, Black	DT4EH-L0	Cable Tie, 13.5L (343mm), Extra-Heavy, Acetal, Black
PLT3S-C120	Cable Tie, 11.5"L (292mm) Standard, Nylon 12, Black	DT4H-L0/N	Dura-Ty Cable Tie, 13.5L (343mm), Heavy, Acetal, Black
PLT3S-M120	Cable Tie, 11.5"L (292mm) Standard, Nylon 12, Black	DT8EH-Q0	Cable Tie, 27L (686mm), Extra-Heavy, Acetal, Black
PLT4H-TL120	Cable Tie, 14.5L (368mm), Light-Heavy, Nylon 12, Black	DTHEH-Q0	Cable Tie Heads, Extra-Heavy, Acetal, Black
PLT4S-C120	Cable Tie, 14.5"L (368mm), Standard, Nylon 12, Black	DTHH-Q0	Cable Tie Heads, Heavy, Acetal, Black
PLT4S-M120	Cable Tie, 14.5L (368mm), Standard, Nylon 12, Black	DTKEH-0	Cable Tie Kit, Extra-Heavy, Acetal, 25 DTHEH Heads, 50' (15.2m) Roll DTREH
PLT7LH-C120	Cable Tie, 24.7"L (627mm), Light-Heavy, Nylon 12, Black	DTKH-0	Cable Tie Kit, Acetal, Heavy, 25 DTHH Heads, 50' (15.2m) Roll DTRH
PLT8LH-C120	Cable Tie, 27.6L (701mm), Light-Heavy, Nylon 12, Black	DTREH-LR0	Cable Tie Strapping, Acetal, 50'L (15.2m), Extra-Heavy, Black

APPENDIX A

Dura Ty(tm) Extruded Strap and Heads (cont.)		Stainless Steel Cable Ties - Contractor Grade (cont.)	
DTRH-100R0	Cable Tie Strapping, Acetal, 100 meter L, Heavy, Black	IMLT203H-L6L	MLT Tie, 316 SS, Heavy, 26.8 (679mm), .010 (.25mm) thk
DTRH-LR0	Cable Tie Strapping, Acetal, 50'L (15.2m), Heavy, Black	IMLT203S-C	MLT Tie, 304 SS, Standard, 26.8 (679mm), .010 (.25mm) thk
Composite Edge Clip - no ties		IMLT203S-C6L	MLT Tie, 316 SS, Standard, 26.8 (679mm), .010 (.25mm) thk
CMS12-M300	Clip-on Mount, Side Fixed, .7mm - 3mm panel range, HSWRBL	IMLT254H-L6L	IMLT Tie, 316L SS, Heavy, 838mm (33.0"), 0.25 mm (0.010") thk
CMS24-M300	Clip-on Mount, Side Fixed, 3mm - 6mm panel range, HSWRBL	IMLT254S-C6L	IMLT Tie, 316L SS, Standard, 838mm (33.0"), 0.25 mm (0.010") thk
CME24-M300	Clip-on Mount, Edge Fixed, 3mm - 6mm panel range, HSWRBL	IMLT25S-C6L	IMLT Tie, 316L SS, Standard, 127mm (5.0"), 0.25 mm (0.010") thk
CME12-M300	Clip-on Mount, Edge Fixed, .7mm - 3mm panel range, HSWRBL	IMLT304H-Q6L	IMLT Tie, 316L SS, Heavy, 998mm (39.3"), 0.25 mm (0.010") thk
Non-Metallic Solar Edge Clips (Acetal)		IMLT304S-Q6L	IMLT Tie, 316L SS, Standard, 998mm (39.3"), 0.25 mm (0.010") thk
UCCPD-C130	Universal Cable Clip Parallel Type Cable Down	IMLT355H-Q6L	IMLT Tie, 316L SS, Heavy, 1156mm (45.4"), 0.25mm thk
UCCPU-C130	Universal Cable Clip Parallel Type Cable Up	IMLT51H-L	IMLT Tie, 304 SS, Heavy, 201mm (7.9"), 0.25 mm (0.010") thk
UCCAD-C130	Universal Cable Clip Angled type Cable Down	IMLT51H-L6L	IMLT Tie, 316L SS, Heavy, 201mm (7.9"), 0.25 mm (0.010") thk
HCME06A12-M130	Edge Clip, Acetal, 0.72x0.55"	IMLT51S-C	IMLT Tie, 304 SS, Standard, 201mm (7.9"), 0.25 mm (0.010") thk
HCME04Y09-M130	Edge Clip, Acetal, 0.87x0.39"	IMLT51S-C6L	IMLT Tie, 316L SS, Standard, 201mm (7.9"), 0.25 mm (0.010") thk
Stainless Steel Solar Edge Clips		IMLT69H-L6L	IMLT Tie, 316L SS, Heavy, 259mm (10.2"), 0.25 mm (0.010") thk
MEC100-PV-C	Metal Edge Clip, 1 to 2 USE-2 Wires, 0.100" panel max	IMLT69S-C6L	IMLT Tie, 316L SS, Standard, 259mm (10.2"), 0.25 mm (0.010") thk
MEC125-4PV-C	Metal Edge Clip, 1 to 4 PV wires, 0.125" panel max	Fully Coated Stainless Steel Cable Ties - Contractor Grade	
MEC100-2PV-C	Metal Edge Clip, 1 to 2 PV Wires, 0.100" panel max	IMLTFC51H-L6L	Fully Coated IMLT Tie, 316L SS, Heavy, 201mm (7.9"), 0.25 mm (0.010") thk
MEC100-90-2PV-C	Metal Edge Clip, 1 to 2 PV Wires, 90°E, 0.100" panel max	IMLTFC51S-C6L	Fully Coated IMLT Tie, 316L SS, Standard, 201mm (7.9"), 0.25 mm (0.010") thk
MEC100-90-PV-C	Metal Edge Clip, 1 to 2 USE-2 Wires, 90°E, 0.100" panel max	IMLTFC64H-C6L	Fully Coated IMLT Tie, 316L SS, Heavy, 233mm (9.4"), 0.25 mm (0.010") thk
MEC250-4PV-C	Metal Edge Clip, 1 to 4 PV wires, 0.250" panel max	IMLTFC64S-C6L	Fully Coated IMLT Tie, 316L SS, Standard, 233mm (9.4"), 0.25 mm (0.010") thk
Stainless Steel Wire Hangers		IMLTFC69H-L6L	Fully Coated IMLT Tie, 316L SS, Heavy, 259mm (10.2"), 0.25 mm (0.010") thk
WH10SS-C	Solar Wire Hanger, 1", straight	IMLTFC86H-C6L	Fully Coated IMLT Tie, 316L SS, Heavy, 310mm (12.2"), 0.25 mm (0.010") thk
WH20SS-90-M	Solar Wire hanger, 2", 90-degree	IMLTFC86S-C6L	Fully Coated IMLT Tie, 316L SS, Standard, 310mm (12.2"), 0.25 mm (0.010") thk
Stainless Steel Cable Ties - Contractor Grade		IMLTFC102H-L6L	Fully Coated IMLT Tie, 316L SS, Heavy, 362mm (14.3"), 0.25 mm (0.010") thk
IMLT102H-L	IMLT Tie, 304 SS, Heavy, 362mm (14.3"), 0.25 mm (0.010") thk	IMLTFC102S-C6L	Fully Coated IMLT Tie, 316L SS, Standard, 362mm (14.3"), 0.25 mm (0.010") thk
IMLT102H-L6L	IMLT Tie, 316L SS, Heavy, 362mm (14.3"), 0.25 mm (0.010") thk	IMLTFC137H-C6L	Fully Coated IMLT Tie, 316L SS, Heavy, 462mm (18.2"), 0.25 mm (0.010") thk
IMLT102S-C	IMLT Tie, 304 SS, Standard, 362mm (14.3"), 0.25 mm (0.010") thk	IMLTFC137S-C6L	Fully Coated IMLT Tie, 316L SS, Standard, 462mm (18.2"), 0.25 mm (0.010") thk
IMLT102S-C6L	IMLT Tie, 316L SS, Standard, 362mm (14.3"), 0.25 mm (0.010") thk	IMLTFC152H-L6L	Fully Coated IMLT Tie, 316L SS, Heavy, 521mm (20.5"), 0.25 mm (0.010") thk
IMLT152H-L	IMLT Tie, 304 SS, Heavy, 521mm (20.5"), 0.25 mm (0.010") thk	IMLTFC152S-C6L	Fully Coated IMLT Tie, 316L SS, Standard, 521mm (20.5"), 0.25 mm (0.010") thk
IMLT152H-L6L	IMLT Tie, 316L SS, Heavy, 521mm (20.5"), 0.25 mm (0.010") thk	IMLTFC203H-L6L	Fully Coated IMLT Tie, 316L SS, Heavy, 679mm (26.8"), 0.25 mm (0.010") thk
IMLT152S-C	IMLT Tie, 304 SS, Standard, 521mm (20.5"), 0.25 mm (0.010") thk	IMLTFC203S-C6L	Fully Coated IMLT Tie, 316L SS, Standard, 679mm (26.8"), 0.25 mm (0.010") thk
IMLT152S-C6L	IMLT Tie, 316L SS, Standard, 521mm (20.5"), 0.25 mm (0.010") thk	IMLTFC38H-C6L	Fully Coated IMLT Tie, 316L SS, Heavy, 158mm (6.2"), 0.25 mm (0.010") thk
IMLT203H-L	IMLT Tie, 304 SS, Heavy, 679mm (26.8"), 0.25 mm (0.010") thk	IMLTFC38S-C6L	Fully Coated IMLT Tie, 316L SS, Standard, 158mm (6.2"), 0.25 mm (0.010") thk

APPENDIX A

Stainless Steel Cable Ties - Premium		MLT14S-Q	MLT Tie, 304 SS, Standard, 45.5 (1156mm), .010 (.25mm) thk
MLT2EH-LP	MLT Tie, 304 SS, Extra Heavy, 11.8 (300mm), .010 (.25mm) thk	MLT15S-Q	MLT Tie, 304 SS, Standard, 49.2 (1250mm), .010 (.25mm) thk
MLT4EH-LP	MLT Tie, 304 SS, Extra Heavy, 17.1 (434mm), .010 (.25mm) thk	MLT1S-CP	MLT Tie, 304 SS, Standard, 5.0 (127mm), .010 (.25mm) thk
MLT4EH15-LP	MLT Tie, 304 SS, Extra Heavy, 17.1 (434mm), .015 (.38mm) thk	MLT2S-CP	MLT Tie, 304 SS, Standard, 7.9 (201mm), .010 (.25mm) thk
MLT6EH-LP	MLT Tie, 304 SS, Extra Heavy, 23.4 (594mm), .010 (.25mm) thk	MLT2S-D	MLT Tie, 304 SS, Standard, 7.9 (201mm), .010 (.25mm) thk
MLT6EH15-LP	MLT Tie, 304 SS, Extra Heavy, 23.4 (594mm), .015 (.38mm) thk	MLT2S-L	MLT Tie, 304 SS, Standard, 7.9 (201mm), .010 (.25mm) thk
MLT8EH-LP	MLT Tie, 304 SS, Extra Heavy, 29.7 (754mm), .010 (.25mm) thk	MLT4SH-LP	MLT Tie, 304 SS, Super Heavy, 17.1 (434mm), .015 (.38mm) thk
MLT8EH15-LP	MLT Tie, 304 SS, Extra Heavy, 29.7 (754mm), .015 (.38mm) thk	MLT6SH-LP	MLT Tie, 304 SS, Super Heavy, 23.4 (594mm), .015 (.38mm) thk
MLT10EH-LP	MLT Tie, 304 SS, Extra Heavy, 35.9 (912mm), .010 (.25mm) thk	MLT8SH-LP	MLT Tie, 304 SS, Super Heavy, 29.7 (754mm), .015 (.38mm) thk
MLT12EH-Q	MLT Tie, 304 SS, Extra Heavy, 42.2 (1072mm), .010 (.25mm) thk	MLT10SH-LP	MLT Tie, 304 SS, Super Heavy, 35.9 (912mm), .015 (.38mm) thk
MLT12EH15-Q	MLT Tie, 304 SS, Extra Heavy, 42.2 (1072mm), .015 (.38mm) thk	MLT12SH-Q	MLT Tie, 304 SS, Super Heavy, 42.2 (1072mm), .015 (.38mm) thk
MLT2.7H-LP	MLT Tie, 304 SS, Heavy, 10.2 (259mm), .010 (.25mm) thk	MLT2EH-LP316	MLT Tie, 316 SS, Extra Heavy, 11.8 (300mm), .010 (.25mm) thk
MLT4H-LP	MLT Tie, 304 SS, Heavy, 14.3 (362mm), .010 (.25mm) thk	MLT4EH-LP316	MLT Tie, 316 SS, Extra Heavy, 17.1 (434mm), .010 (.25mm) thk
MLT4H-TL	MLT Tie, 304 SS, Heavy, 14.3 (362mm), .010 (.25mm) thk	MLT4EH15-LP316	MLT Tie, 316 SS, Extra Heavy, 17.1 (434mm), .015 (.38mm) thk
MLT6H-LP	MLT Tie, 304 SS, Heavy, 20.5 (521mm), .010 (.25mm) thk	MLT6EH-LP316	MLT Tie, 316 SS, Extra Heavy, 23.4 (594mm), .010 (.25mm) thk
MLT8H-LP	MLT Tie, 304 SS, Heavy, 26.8 (679mm), .010 (.25mm) thk	MLT6EH15-LP316	MLT Tie, 316 SS, Extra Heavy, 23.4 (594mm), .015 (.38mm) thk
MLT10H-LP	MLT Tie, 304 SS, Heavy, 33.0 (838mm), .010 (.25mm) thk	MLT8EH15-LP316	MLT Tie, 316 SS, Extra Heavy, 29.7 (754mm), .015 (.38mm) thk
MLT12H-Q	MLT Tie, 304 SS, Heavy, 39.3 (998mm), .010 (.25mm) thk	MLT10EH15-LP316	MLT Tie, 316 SS, Extra Heavy, 35.9 (912mm), .015 (.38mm) thk
MLT14H-Q	MLT Tie, 304 SS, Heavy, 45.5 (1156mm), .010 (.25mm) thk	MLT12EH15-Q316	MLT Tie, 316 SS, Extra Heavy, 42.2 (1072mm), .015 (.38mm) thk
MLT2H-LP	MLT Tie, 304 SS, Heavy, 7.9 (201mm), .010 (.25mm) thk	MLT2.7H-LP316	MLT Tie, 316 SS, Heavy, 10.2 (259mm), .010 (.25mm) thk
MLT2H-TL	MLT Tie, 304 SS, Heavy, 7.9 (201mm), .010 (.25mm) thk	MLT4H-LP316	MLT Tie, 316 SS, Heavy, 14.3 (362mm), .010 (.25mm) thk
MLT4LH-LP	MLT Tie, 304 SS, Light Heavy, 14.3 (362mm), .010 (.25mm) thk	MLT4H-TL316	MLT Tie, 316 SS, Heavy, 14.3 (362mm), .010 (.25mm) thk
MLT6LH-LP	MLT Tie, 304 SS, Light Heavy, 20.5 (521mm), .010 (.25mm) thk	MLT6H-LP316	MLT Tie, 316 SS, Heavy, 20.5 (521mm), .010 (.25mm) thk
MLT8LH-LP	MLT Tie, 304 SS, Light Heavy, 26.8 (679mm), .010 (.25mm) thk	MLT8H-LP316	MLT Tie, 316 SS, Heavy, 26.8 (679mm), .010 (.25mm) thk
MLT2LH-LP	MLT Tie, 304 SS, Light Heavy, 7.9 (201mm), .010 (.25mm) thk	MLT10H-LP316	MLT Tie, 316 SS, Heavy, 33.0 (838mm), .010 (.25mm) thk
MLT2.7S-CP	MLT Tie, 304 SS, Standard, 10.2 (259mm), .010 (.25mm) thk	MLT2H-LP316	MLT Tie, 316 SS, Heavy, 7.9 (201mm), .010 (.25mm) thk
MLT4S-CP	MLT Tie, 304 SS, Standard, 14.3 (362mm), .010 (.25mm) thk	MLT4LH-LP316	MLT Tie, 316 SS, Light Heavy, 14.3 (362mm), .010 (.25mm) thk
MLT4S-D	MLT Tie, 304 SS, Standard, 14.3 (362mm), .010 (.25mm) thk	MLT6LH-LP316	MLT Tie, 316 SS, Light Heavy, 20.5 (521mm), .010 (.25mm) thk
MLT4S-L	MLT Tie, 304 SS, Standard, 14.3 (362mm), .010 (.25mm) thk	MLT8LH-LP316	MLT Tie, 316 SS, Light Heavy, 26.8 (679mm), .010 (.25mm) thk
MLT6S-CP	MLT Tie, 304 SS, Standard, 20.5 (521mm), .010 (.25mm) thk	MLT2LH-LP316	MLT Tie, 316 SS, Light Heavy, 7.9 (201mm), .010 (.25mm) thk
MLT8S-CP	MLT Tie, 304 SS, Standard, 26.8 (679mm), .010 (.25mm) thk	MLT2.7S-CP316	MLT Tie, 316 SS, Standard, 10.2 (259mm), .010 (.25mm) thk
MLT8S-CP	MLT Tie, 304 SS, Standard, 26.8 (679mm), .010 (.25mm) thk	MLT4S-CP316	MLT Tie, 316 SS, Standard, 14.3 (362mm), .010 (.25mm) thk
MLT10S-CP	MLT Tie, 304 SS, Standard, 33.0 (838mm), .010 (.25mm) thk	MLT6S-CP316	MLT Tie, 316 SS, Standard, 20.5 (521mm), .010 (.25mm) thk

APPENDIX A

Stainless Steel Ties - Premium (cont.)		MLT12S-Q	MLT Tie, 304 SS, Standard, 39.3 (998mm), .010 (.25mm) thk
MLT10S-CP316	MLT Tie, 316 SS, Standard, 33.0 (838mm), .010 (.25mm)	MLT8S-CP316	MLT Tie, 316 SS, Standard, 26.8 (679mm), .010 (.25mm) thk
MLT1S-CP316	MLT Tie, 316 SS, Standard, 5.0 (127mm), .010 (.25mm) thk	MLT4DEH-Q316	MLT Tie, 316 SS, Double Wrap, Extra Heavy, 29.5 (749mm), .010 (.25mm) thk
MLT2S-CP316	MLT Tie, 316 SS, Standard, 7.9 (201mm), .010 (.25mm) thk	MLT5DH-L	MLT Tie, 304 SS, Double Wrap, Heavy, 34.0 (863mm), .010 (.25mm) thk
MLT4SH-LP316	MLT Tie, 316 SS, Super Heavy, 17.1 (434mm), .015 (.38mm) thk		
MLT6SH-LP316	MLT Tie, 316 SS, Super Heavy, 23.4 (594mm), .015 (.38mm) thk		
MLT8SH-LP316	MLT Tie, 316 SS, Super Heavy, 29.7 (754mm), .015 (.38mm) thk		
MLT10SH-LP316	MLT Tie, 316 SS, Super Heavy, 35.9 (912mm), .015 (.38mm) thk		
MLT12SH-Q316	MLT Tie, 316 SS, Super Heavy, 42.2 (1072mm), .015 (.38mm) thk		
MLT4S-CP316L	MLT Tie, 316L SS, Standard, 14.3" (362mm), .010" (.25mm) thk		
MLT2S-CP316L	MLT Tie, 316L SS, Standard, 7.9" (201mm), .010" (.25mm) thk		
MLT2H-LP321	MLT Tie, 321 SS, Heavy, 7.9 (201mm), .010 (.25mm) thk		
MLT16S-Q	STAINLESS STEEL TIES		
MLT10WH-LP	MLT Wave Tie, 304 SS, Heavy, 33.0 (838mm), .010 (.25mm) thk		
MLT10WH-LP316	MLT Wave Tie, 316 SS, Heavy, 33.0 (838mm), .010 (.25mm) thk		
MLT2.7WH-LP316	MLT Wave Tie, 316 SS, Heavy, 10.2 (259mm), .010 (.25mm) thk		
MLT2.7WLH-LP	MLT Wave Tie, 304 SS, Light Heavy, 10.2 (259mm), .010 (.25mm) thk		
MLT2.7WS-LP	MLT Wave Tie, 304 SS, Standard, 10.2 (259mm), .010 (.25mm) thk		
MLT4WH-LP	MLT Wave Tie, 304 SS, Heavy, 14.3 (362mm), .010 (.25mm) thk		
MLT4WH-LP316	MLT Wave Tie, 316 SS, Heavy, 14.3 (362mm), .010 (.25mm) thk		
MLT4WH-TL316	MLT Wave Tie, 316 SS, Heavy, 14.3" (362mm), .010" (.25mm) thk		
MLT4WLH-LP	MLT Wave Tie, 304 SS, Light Heavy, 14.3 (362mm), .010 (.25mm) thk		
MLT4WS-LP	MLT Wave Tie, 304 SS, Standard, 14.3 (362mm), .010 (.25mm) thk		
MLT4WS-TL	MLT Wave Tie, 304 SS, Standard, 14.3 (362mm), .010 (.25mm) thk		
MLT6WH-LP	MLT Wave Tie, 304 SS, Heavy, 20.5 (521mm), .010 (.25mm) thk		
MLT6WLH-LP	MLT Wave Tie, 304 SS, Light Heavy, 20.5 (521mm), .010 (.25mm) thk		
MLT6WS-LP	MLT Wave Tie, 304 SS, Standard, 20.5 (521mm), .010 (.25mm) thk		
MLT8DEH15-Q	MLT Tie, 304 SS, Double Wrap, Extra Heavy, 53.5" (1359mm), .015" (.38mm) thk		
MLT8WH-LP	MLT Wave Tie, 304 SS, Heavy, 26.8 (679mm), .010 (.25mm) thk		
MLT8WH-LP316	MLT Wave Tie, 316 SS, Heavy, 26.8 (679mm), .010 (.25mm) thk		
MLT8WS-LP	MLT Wave Tie, 304 SS, Standard, 26.8 (679mm), .010 (.25mm) thk		
MLT2DH-L	MLT Tie, 304 SS, Double Wrap, Heavy, 18.5 (470mm), .010 (.25mm) thk		

APPENDIX A

Coated Stainless Steel Ties – Premium			
MLTC10H-LP316	MLT Tie, 316 SS, Selectively Coated, Heavy, 33.0 (838mm), .010 (.25mm) thk	MLTFC5.4S-CP316	MLT Tie, 316 SS, Fully Coated, Standard
MLTC2.7H-LP316	MLT Tie, 316 SS, Selectively Coated, Heavy, 10.2 (259mm), .010 (.25mm) thk	MLTFC6EH-LP316	MLT Tie, 316 SS, Fully Coated, Extra Heavy, 23.4 (594mm), .010 (.25mm) thk
MLTC2H-LP316	MLT Tie, 316 SS, Selectively Coated, Heavy, 7.9 (201mm), .010 (.25mm) thk	MLTFC6H-LP316	MLT Tie, 316 SS, Fully Coated, Heavy, 20.5 (521mm), .010 (.25mm) thk
MLTC4H-LP316	MLT Tie, 316 SS, Selectively Coated, Heavy, 14.3 (362mm), .010 (.25mm) thk	MLTFC6H-LP316BU	MLT Tie, 316 SS, Fully Coated, Heavy, 20.5 (521mm), .010 (.25mm) thk, Blue
MLTC6H-LP316	MLT Tie, 316 SS, Selectively Coated, Heavy, 20.5 (521mm), .010 (.25mm) thk	MLTFC6H-LP316GR	MLT Tie, 316 SS, Fully Coated, Heavy, 20.5 (521mm), .010 (.25mm) thk, Green
MLTC8H-LP316	MLT Tie, 316 SS, Selectively Coated, Heavy, 26.8 (679mm), .010 (.25mm) thk	MLTFC6H-LP316RD	MLT Tie, 316 SS, Fully Coated, Heavy, 20.5 (521mm), .010 (.25mm) thk, Red
MLTFC1.5H-CP316	MLT Tie, 316 SS, Fully Coated, Heavy, 6 (152mm), .010 (.25mm) thk	MLTFC6H-LP316WH	MLT Tie, 316 SS, Fully Coated, Heavy, 20.5 (521mm), .010 (.25mm) thk, White
MLTFC1.5S-CP316	MLT Tie, 316 SS, Fully Coated, Standard	MLTFC6H-LP316YL	MLT Tie, 316 SS, Fully Coated, Heavy, 20.5 (521mm), .010 (.25mm) thk, Yellow
MLTFC2.5H-CP316	MLT Tie, 316 SS, Fully Coated, Heavy, 9 (229mm), .010 (.25mm) thk	MLTFC6S-CP316	MLT Tie, 316 SS, Fully Coated, Standard, 20.5 (521mm), .010 (.25mm) thk
MLTFC2.5S-CP316	MLT Tie, 316 SS, Fully Coated, Standard	MLTFC6SH-LP316	MLT Tie, 316 SS, Fully Coated, Super Heavy, 23.4 (594mm), .015 (.38mm) thk
MLTFC2.7H-LP316	MLT Tie, 316 SS, Fully Coated, Heavy, 10.2 (259mm), .010 (.25mm) thk	MLTFC8EH-LP316	MLT Tie, 316 SS, Fully Coated, Extra Heavy, 29.7 (754mm), .010 (.25mm) thk
MLTFC2EH-LP316	MLT Tie, 316 SS, Fully Coated, Extra Heavy, 11.8 (300mm), .010 (.25mm) thk	MLTFC8H-LP316	MLT Tie, 316 SS, Fully Coated, Heavy, 26.8 (679mm), .010 (.25mm) thk
MLTFC2H-LP316	MLT Tie, 316 SS, Fully Coated, Heavy, 7.9 (201mm), .010 (.25mm) thk	MLTFC8S-CP316	MLT Tie, 316 SS, Fully Coated, Standard, 26.8 (679mm), .010 (.25mm) thk
MLTFC2H-LP316BU	MLT Tie, 316 SS, Fully Coated, Heavy, 7.9 (201mm), .010 (.25mm) thk, Blue	MLTFC8SH-LP316	MLT Tie, 316 SS, Fully Coated, Super Heavy, 29.7 (754mm), .015 (.38mm) thk
MLTFC2H-LP316GR	MLT Tie, 316 SS, Fully Coated, Heavy, 7.9 (201mm), .010 (.25mm) thk, Green		
MLTFC2H-LP316RD	MLT Tie, 316 SS, Fully Coated, Heavy, 7.9 (201mm), .010 (.25mm) thk, Red		
MLTFC2H-LP316WH	MLT Tie, 316 SS, Fully Coated, Heavy, 7.9 (201mm), .010 (.25mm) thk, White		
MLTFC2H-LP316YL	MLT Tie, 316 SS, Fully Coated, Heavy, 7.9 (201mm), .010 (.25mm) thk, Yellow		
MLTFC2S-CP316	MLT Tie, 316 SS, Fully Coated, Standard, 7.9 (201mm), .010 (.25mm) thk		
MLTFC3.4H-CP316	MLT Tie, 316 SS, Fully Coated, Heavy, 12 (305mm), .010 (.25mm) thk		
MLTFC3.4S-CP316	MLT Tie, 316 SS, Fully Coated, Standard		
MLTFC4EH-LP316	MLT Tie, 316 SS, Fully Coated, Extra Heavy, 17.1 (434mm), .010 (.25mm) thk		
MLTFC4H-LP316	MLT Tie, 316 SS, Fully Coated, Heavy, 14.3 (362mm), .010 (.25mm) thk		
MLTFC4H-LP316BU	MLT Tie, 316 SS, Fully Coated, Heavy, 14.3 (362mm), .010 (.25mm) thk, Blue		
MLTFC4H-LP316GR	MLT Tie, 316 SS, Fully Coated, Heavy, 14.3 (362mm), .010 (.25mm) thk, Green		
MLTFC4H-LP316RD	MLT Tie, 316 SS, Fully Coated, Heavy, 14.3 (362mm), .010 (.25mm) thk, Red		
MLTFC4H-LP316WH	MLT Tie, 316 SS, Fully Coated, Heavy, 14.3 (362mm), .010 (.25mm) thk, White		
MLTFC4H-LP316YL	MLT Tie, 316 SS, Fully Coated, Heavy, 14.3 (362mm), .010 (.25mm) thk, Yellow		
MLTFC4S-CP316	MLT Tie, 316 SS, Fully Coated, Standard, 14.3 (362mm), .010 (.25mm) thk		
MLTFC4SH-LP316	MLT Tie, 316 SS, Fully Coated, Super Heavy, 17.1 (434mm), .015 (.38mm) thk		
MLTFC5.4H-CP316	MLT Tie, 316 SS, Fully Coated, Heavy, 18 (457mm), .010 (.25mm) thk		