RC-17S1N8AK0N8 - Cable connector



1618434

https://www.phoenixcontact.com/us/products/1618434

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



M23, Cable connector, series: RC, straight plastic-sheathed, shielded: yes, Screw locking mechanism, No. of pos.: 17, Direction of rotation: Standard, contact connection type: Socket, Crimp connection, cable diameter range: 6.5 mm ... 7.5 mm, coding: N

Commercial data

Item number	1618434
Packing unit	20 pc
Minimum order quantity	1 pc
Note	Made to order (non-returnable)
Product key	ABRAFA
GTIN	4046356748551
Weight per piece (including packing)	46.2 g
Weight per piece (excluding packing)	46.2 g
Country of origin	DE

RC-17S1N8AK0N8 - Cable connector



1618434

https://www.phoenixcontact.com/us/products/1618434

Technical data

	Order information:	Order crimp contacts Ø 1 mm separately
Product properties		
	Product type	Circular connector (cable-side)

Connector

Insulating body

Note	Order information: Order crimp contacts Ø 1 mm separately
Coding	N
Connection method	Crimp connection
Contact switching type	Socket
Application	Signal
Number of positions	17
Direction of rotation	Standard
Connection profile	17
Contact diameter Power contacts	1 mm
Rated current Power contacts	8 A
Rated voltage	48 V AC
	74 V DC
Rated surge voltage	1.5 kV
Overvoltage category	III
Degree of pollution	3

Housing

Housing material	Metal
Type of locking	Screw locking mechanism
Pg screw connection	none
Degree of protection (plugged in)	IP67
Thread type	M23

Seal

Geal		
External cable diameter	6.5 mm 7.5 mm	

RC-17S1N8AK0N8 - Cable connector




https://www.phoenixcontact.com/us/products/1618434



Drawings

Schematic diagram



Connector pin assignment

Phoenix Contact 2025 $\ensuremath{@}$ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com