

2902831

https://www.phoenixcontact.com/us/products/2902831

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Adapter for mounting short-circuit proof hybrid motor starters of type ELR-H51 ... on 60 mm power busbars. Classic design with 200 mm design height.



Commercial data

Item number	2902831
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	C470
Product key	DK7455
Catalog page	Page 37 (C-5-2019)
GTIN	4046356685450
Weight per piece (including packing)	68.5 g
Weight per piece (excluding packing)	57.36 g
Customs tariff number	85369095
Country of origin	DE



2902831

https://www.phoenixcontact.com/us/products/2902831

Technical data

Product properties

Product type	Assembly adapter
Product family	CONTACTRON

Dimensions

Width	22.5 mm
Height	200 mm
Depth	41.5 mm

Approvals

UKCA

Certificate	UKCA-compliant	



2902831

https://www.phoenixcontact.com/us/products/2902831

Approvals

🌣 To download certificates, visit the product detail page: https://www.phoenixcontact.com/us/products/2902831



UL Listed

Approval ID: E228652



cUL ListedApproval ID: E228652



2902831

https://www.phoenixcontact.com/us/products/2902831

Classifications

	ECLASS-13.0	27371392			
ETIM					
	ETIM 9.0	EC002498			
UNSPSC					
	UNSPSC 21.0	39121100			



2902831

https://www.phoenixcontact.com/us/products/2902831

Environmental product compliance

EU RoHS

20 None		
Fulfills EU RoHS substance requirements	Yes, No exemptions	
China RoHS		
Environment friendly use period (EFUP)	EFUP-E	
	No hazardous substances above the limits	
EU REACH SVHC		
REACH candidate substance (CAS No.)	No substance above 0.1 wt%	

Phoenix Contact 2025 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com