

3032075

https://www.phoenixcontact.com/us/products/3032075

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Feed-through metal in the shape of a 5 \times 20 mm glass tube fuse insert for use in fuse terminal blocks.

Commercial data

Item number	3032075
Packing unit	50 pc
Minimum order quantity	50 pc
Sales key	BE29
Product key	BE2ZWX
Catalog page	Page 168 (NTK-2014)
GTIN	4017918937041
Weight per piece (including packing)	3.204 g
Weight per piece (excluding packing)	3.204 g
Customs tariff number	74198090
Country of origin	DE



3032075

https://www.phoenixcontact.com/us/products/3032075

Technical data

Product properties

Product type	Bridge bar
Number of positions	1
Electrical properties	
Electrical properties Fuse	6.3 A

Material specifications

Color	silver-colored
Coloi	Silver-colored

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	-60 °C 85 °C
Ambient temperature (storage/transport)	-25 °C 55 °C (for a short time, not exceeding 24 h, -60 °C to +70 °C)
Ambient temperature (assembly)	-5 °C 70 °C
Ambient temperature (actuation)	-5 °C 70 °C
Permissible humidity (storage/transport)	30 % 70 %



3032075

https://www.phoenixcontact.com/us/products/3032075

Classifications

_			_
	വ	ΛΟ	ľ
-		Α.	١.٦

	ECLASS-13.0	27141190
E ⁻	ГІМ	
	ETIM 9.0	EC002848
UNSPSC		
	UNSPSC 21.0	39121400



3032075

https://www.phoenixcontact.com/us/products/3032075

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2025 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com