

1085485

https://www.phoenixcontact.com/us/products/1085485

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



The FL DIN-RAIL ADAPTER 22.5 is designed to allow products 22.5 mm wide to be mounted flush to a standard 35 mm DIN rail, in any orientation.

Product description

The FL DIN-RAIL ADAPTER 22.5 is designed to allow products 22.5 mm wide to be mounted flush to a standard 35 mm DIN rail, in any orientation.

Your advantages

• Easy and secure adapting of DIN rail products to mount flush to a DIN rail

Commercial data

Item number	1085485
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	DN22
Product key	DNN1ZZ
GTIN	4055626835150
Weight per piece (including packing)	145.76 g
Weight per piece (excluding packing)	89.25 g
Customs tariff number	73269098
Country of origin	TW



1085485

https://www.phoenixcontact.com/us/products/1085485

Technical data

Notes

Note on application			
Note on application	Only for industrial use		
Product properties			
Product type	Assembly adapter		
Dimensions			
Width	34 mm		
Height	104.21 mm		
Depth	38.3 mm		
Hole diameter	5 mm		
Material specifications			
Material	Stainless steel 304		
Housing material	Stainless steel		



1085485

https://www.phoenixcontact.com/us/products/1085485

Classifications

ECLASS

	ECLASS-13.0	27182807	
	ECLASS-15.0	27182807	
ETIM			
	ETIM 9.0	EC002625	
LINODOO			
UNSPSC			
	UNSPSC 21.0	39121700	



1085485

https://www.phoenixcontact.com/us/products/1085485

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2025 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com