

1212600

https://www.phoenixcontact.com/us/products/1212600

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Adapter bit for TSD-M...torque tools, E6.3-1/4" drive with 4 mm hexagon to accommodate SAC bits

Your advantages

- The TSD-M... adapters can accommodate the various nuts
- For the TSD-M... torque screwdrivers the torque can be set individually
- TSD ... SAC torque screwdrivers with a range of preset torques from 0.2 Nm to 2.5 Nm
- · Wide range of SAC... nuts for various different applications

Commercial data

Item number	1212600
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BH31
Product key	BH3149
GTIN	4046356590747
Weight per piece (including packing)	22.57 g
Weight per piece (excluding packing)	18.4 g
Customs tariff number	82079030
Country of origin	CZ



1212600

https://www.phoenixcontact.com/us/products/1212600

Technical data

Notes

ewdriver tools kagonal SW4 versal, replaceable
xagonal SW4
versal, replaceable
versal, replaceable
) mm
er
yed tool steel
,



1212600

https://www.phoenixcontact.com/us/products/1212600

Approvals

To download certificates, visit the product detail page: https://www.phoenixcontact.com/us/products/1212600



EAC

Approval ID: RU x-DE.xx08.B.02974



1212600

https://www.phoenixcontact.com/us/products/1212600

Classifications

ECLASS

	ECLASS-13.0	21045191		
	ECLASS-15.0	21045191		
ETIM				
	ETIM 9.0	EC011822		
UNSPSC				
	UNSPSC 21.0	27111700		



1212600

https://www.phoenixcontact.com/us/products/1212600

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Not applicable, No electrical and electronic equipment (EEE), cannot be used in EEE
EU REACH SVHC	

Phoenix Contact 2025 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com