

RC-17P1N8AWR00 - Device connector front mounting



1601625

<https://www.phoenixcontact.com/us/products/1601625>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Device connector front mounting, straight, Screw locking mechanism, M23, number of positions: 17, contact connection type: Pin, Radial O-ring, 4x Ø 3.2, shielded: yes, panel thickness min.: 3 mm, cable diameter range: 0 mm ... 0 mm, connection method: Crimp connection, series: RC

Commercial data

Item number	1601625
Packing unit	24 pc
Minimum order quantity	1 pc
Note	Made to order (non-returnable)
Product key	ABRAFL
GTIN	4046356235761
Weight per piece (including packing)	28.52 g
Weight per piece (excluding packing)	25.14 g
Country of origin	DE

Technical data

Notes

Order information:

Order crimp contacts Ø 1 mm separately

Product properties

Series	RC
Application	Feedback
Connection profile	17
Shielded	yes
Thread type	M23

Electrical properties

Contact

Contact diameter	1 mm
Nominal current I_N	8 A
Nominal voltage U_N	150 V

Connection data

Connection method	Crimp connection
-------------------	------------------

Dimensions

Panel thickness	> 3 mm
-----------------	--------

Connector

Type	straight
------	----------

Cable/line

External cable diameter	0 mm ... 0 mm
-------------------------	---------------

Mounting

Mounting	4x Ø 3.2
----------	----------

RC-17P1N8AWR00 - Device connector front mounting



1601625

<https://www.phoenixcontact.com/us/products/1601625>

Environmental product compliance

EU RoHS	
Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2025 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com