

https://www.phoenixcontact.com/us/products/1611637



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Crimp contact, Pin, rolled, contact diameter: 1 mm, connection cross section:  $0.08 \text{ mm}^2 \dots 0.22 \text{ mm}^2$ , contact material: CuZn, Taped product, 10000 pcs. per ribbon

## Your advantages

- · Crimping connection: vibration- and temperature-resistant assembly
- · High tensile strength of the connection
- · Low contact resistance
- · Easy production monitoring
- · Variable production run startup, thanks to full or semi-automation

#### Commercial data

Item number	1611637
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	AB36
Product key	ABRECA
GTIN	4046356394826
Weight per piece (including packing)	0.24 g
Weight per piece (excluding packing)	1,300 g
Customs tariff number	85366990
Country of origin	DE



https://www.phoenixcontact.com/us/products/1611637



## Technical data

### Product properties

Product type	Crimp contact
Contact material type	rolled

#### Connection data

#### Connection technology

Contact connection type	Pin
Connection method	Crimp connection

#### Conductor connection

Connection cross section	0.08 mm² 0.22 mm²
Connection cross coulon	0.00 11111 0.22 11111

## Material specifications

Material Contact	CuZn
Material Metal surface contact area (middle layer)	Ni
Material Metal surface contact area (top layer)	Au

#### Dimensions

Diameter (Contact diameter)	1 mm

### Mechanical properties

#### Mechanical data

	Insertion/withdrawal cycles	100



https://www.phoenixcontact.com/us/products/1611637



# Classifications

#### **ECLASS**

	ECLASS-13.0	27440204	
	ECLASS-15.0	27440204	
	FTIM		
ETIM			
	ETIM 9.0	EC000796	
UNSPSC			
	UNSPSC 21.0	39121500	



https://www.phoenixcontact.com/us/products/1611637



## Environmental product compliance

#### EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2025 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com