

1627765

https://www.phoenixcontact.com/us/products/1627765

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



M23, Cable connector, series: CA, straight, shielded: yes, Screw locking mechanism, cable diameter range: 6 mm ... 10 mm

Commercial data

Item number	1627765
Packing unit	1 pc
Minimum order quantity	1 pc
Note	Made to order (non-returnable)
Product key	ABRAEE
GTIN	4055626353807
Weight per piece (including packing)	86.3 g
Weight per piece (excluding packing)	86.3 g
Country of origin	DE



1627765

https://www.phoenixcontact.com/us/products/1627765

Technical data

Notes

	Order information:	Order contact inserts separately
Product properties		
	Product type	Circular connector (cable-side)

Connector

Housing

Туре	Cable connector housing
Thread type	M23
Design	straight
Type of locking	Screw locking mechanism
Pg screw connection	none
Housing material	Turned parts: copper zinc alloy (CuZn), die-cast parts: zinc (GD-Zn)
Material for screw connection	CuZn
Degree of protection (plugged in)	IP67

Seal

	External cable diameter	6 mm 10 mm
	Seal material	NBR



1627765

https://www.phoenixcontact.com/us/products/1627765

Classifications

ETIM

ETIM 8.0	EC002635	
UNSPSC		
UNSPSC 21.0	39121400	



1627765

https://www.phoenixcontact.com/us/products/1627765

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements Exemption	Yes 6(c)
China RoHS	
Environment friendly use period (EFUP)	EFUP-50
	An article-related China RoHS declaration table can be found in the download area for the respective article under "Manufacturer declaration". For all articles with EFUP-E, no China RoHS declaration table issued and required.
EU REACH SVHC	
REACH candidate substance (CAS No.)	Lead(CAS: 7439-92-1)

Phoenix Contact 2025 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com