

# BC-05P2N220200 - Contact carrier



1590106

<https://www.phoenixcontact.com/us/products/1590106>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Contact carrier, 5-position, Pin, straight, M12, PCB mounting, Wave soldering, this item is undergoing a smooth changeover, lead-free alternative in accordance with RoHS II without exception 6c (Pb < 0.1%) possible on request in advance

## Commercial data

Item number	1590106
Packing unit	10 pc
Minimum order quantity	10 pc
Note	Made to order (non-returnable)
Product key	ABQEQA
GTIN	4046356185523
Weight per piece (including packing)	4.284 g
Weight per piece (excluding packing)	3.819 g
Country of origin	DE

# BC-05P2N220200 - Contact carrier



1590106

<https://www.phoenixcontact.com/us/products/1590106>

## Technical data

### Product properties

Product type	Contact insert
Number of positions	5
Thread type	M12

### Connection data

Connection method	Wave soldering
-------------------	----------------

### Material specifications

Flammability rating according to UL 94	V0
Contact material	CuZn
Contact surface material	Au
Contact carrier material	PBT

### Connector

#### Connection 1

Head design	Pin
Head cable outlet	straight
Head thread type	M12

### Environmental and real-life conditions

#### Ambient conditions

UL Type Rating	Type 4 (indoor use only)
----------------	--------------------------

### Mounting

Mounting type	PCB mounting
---------------	--------------

# BC-05P2N220200 - Contact carrier



1590106

<https://www.phoenixcontact.com/us/products/1590106>

## Classifications

### ECLASS

ECLASS-13.0	27440110
-------------	----------

### ETIM

ETIM 9.0	EC003568
----------	----------

### UNSPSC

UNSPSC 21.0	39121400
-------------	----------

# BC-05P2N220200 - Contact carrier



1590106

<https://www.phoenixcontact.com/us/products/1590106>

## Environmental product compliance

### EU RoHS

Fulfills EU RoHS substance requirements	Yes
Exemption	6(c)

### China RoHS

Environment friendly use period (EFUP)	EFUP-50
	An article-related China RoHS declaration table can be found in the download area for the respective article under "Manufacturer declaration". For all articles with EFUP-E, no China RoHS declaration table issued and required.

### EU REACH SVHC

REACH candidate substance (CAS No.)	Lead(CAS: 7439-92-1)
SCIP	7a4e4036-e999-43b6-b764-b37841b728fc

Phoenix Contact 2025 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)