

5198270

https://www.phoenixcontact.com/us/products/5198270

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Clamping part, with metric thread

Your advantages

- · Well-known connection principle allows worldwide use
- · Low temperature rise, thanks to maximum contact force
- · Allows connection of two conductors

Commercial data

Item number	5198270
Packing unit	500 pc
Minimum order quantity	1,000 pc
Product key	ACEPBC
GTIN	4046356290807
Weight per piece (including packing)	25.7 g
Weight per piece (excluding packing)	25.7 g
Country of origin	PL



5198270

https://www.phoenixcontact.com/us/products/5198270

Technical data

Notes

General		Further information and detailed dimensions are available in the download area.	
Product properties			
Product type		Mounting material	
Туре		with metric thread	
Thread type		M6	
Connection data			
Nominal cross section	1	50 mm²	
Material specifications			
Material (Clamping pa	art)	Steel	



5198270

https://www.phoenixcontact.com/us/products/5198270

Classifications

\sim	LΑ	0	0
ι,	L <i>P</i>	הו	$\overline{}$

	ECLASS-13.0	27371390	
ETIM			
	ETIM 9.0	EC004667	
UNSPSC			
	UNSPSC 21.0	39121400	



5198270

https://www.phoenixcontact.com/us/products/5198270

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions			
China RoHS				
Environment friendly use period (EFUP)	EFUP-E			
	No hazardous substances above the limits			
EU REACH SVHC				
REACH candidate substance (CAS No.)	No substance above 0.1 wt%			
EF3.0 Climate Change				
CO2e kg	0.129 kg CO2e			

Phoenix Contact 2025 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com