

https://www.phoenixcontact.com/us/products/2303161



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Insertion bridge, pitch: 5.2 mm, number of positions: 4, color: gray



### Commercial data

Item number	2303161
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	BE19
Product key	BE1Z2X
GTIN	4017918058449
Weight per piece (including packing)	1.68 g
Weight per piece (excluding packing)	1.68 g
Customs tariff number	85366990
Country of origin	PL



https://www.phoenixcontact.com/us/products/2303161



### Technical data

### Product properties

Product type	Insertion bridge
Number of positions	4
Pitch	5.2 mm

#### **Dimensions**

D:t-k	Γ 0	
Pitch	5 / mm	

### Material specifications

Color	gray (RAL 7042)	

#### Environmental and real-life conditions

#### Ambient conditions

Ambient temperature (operation)	-60 °C 110 °C (Operating temperature range incl. self-heating; for max. short-term operating temperature, see RTI Elec.)
Ambient temperature (storage/transport)	-25 °C 60 °C (for a short time, not exceeding 24 h, -60 °C to +70 °C)
Ambient temperature (assembly)	-5 °C 70 °C
Ambient temperature (actuation)	-5 °C 70 °C
Permissible humidity (operation)	20 % 90 %
Permissible humidity (storage/transport)	30 % 70 %



https://www.phoenixcontact.com/us/products/2303161



## Classifications

UNSPSC 21.0

_	$\sim$	$\Lambda \cap \cap$
		A.7.7

	ECLASS-13.0	27250303
ΕΊ	ТІМ	
	ETIM 9.0	EC000489
UNSPSC		

39121400

2303161

https://www.phoenixcontact.com/us/products/2303161



## Environmental product compliance

#### EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions	
China RoHS		
Environment friendly use period (EFUP)	EFUP-E	
	No hazardous substances above the limits	
EU REACH SVHC		
REACH candidate substance (CAS No.)	No substance above 0.1 wt%	

Phoenix Contact 2025 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com