


2307662

https://www.phoenixcontact.com/us/products/2307662

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.





Commercial data

Item number	2307662
Packing unit	1 pc
Note	Made to order (non-returnable)
Sales key	C429
Product key	DK2AMS
GTIN	4017918992729
Weight per piece (including packing)	62.6 g
Weight per piece (excluding packing)	35.2 g
Customs tariff number	85369010
Country of origin	DE



2307662

https://www.phoenixcontact.com/us/products/2307662

Technical data

Product properties

Product type	Front adapter	
Insulation characteristics: Air clearances and creepage distances		
Insulation	Functional insulation	
Overvoltage category	II	
Pollution degree	2	

Electrical properties

Operating voltage (AC)	≤ 25 V AC
Operating voltage (DC)	≤ 60 V DC
Current (Per path)	≤ 1 A
Current (Total current)	≤ 2 A

Air clearances and creepage distances

Rated insulation voltage	63 V
Rated surge voltage	0.6 kV (1.2/50 μs)
Supported controller SIEMENS S7-300 / ET 200 M	

Supported controller SIEMENS 57-300 / E1 200 M

Suitable I/O card	6ES7326-1BK02-0AB0
	6ES7336-1HE00-0AB0

Connection data

Field level

Connection method	IDC/FLK pin strip
Number of connections	1
Number of positions	50
Pitch	2.54 mm

Environmental and real-life conditions

Ambient conditions

Degree of protection	IP00
Degree of protection (Installation location)	≥ IP54 (Installation location)
Ambient temperature (operation)	-20 °C 50 °C
Ambient temperature (storage/transport)	-20 °C 70 °C
Altitude	< 2000 m

Standards and regulations

Air clearances and creepage distances

i disaransos ana disopago distantos	
Standards/regulations	DIN EN 50178: 1998-04

Mounting



2307662

https://www.phoenixcontact.com/us/products/2307662

	Mounting position	any
No	tes	
	Notes on operation	The products may only be installed or used by qualified personnel. Compliance with all safety requirements, including all applicable laws, regulations, and standards, must be ensured.
	Notes on operation	For proper use, the specifications of the installation directive (see Downloads) must be observed. For applications or use with third-party products, the specifications, and the safety and warning instructions of the respective third-party manufacturer must also be met.




https://www.phoenixcontact.com/us/products/2307662



Drawings

Circuit diagram



Connection scheme FLKM 50-PA-S300/SO167



2307662

https://www.phoenixcontact.com/us/products/2307662

Classifications

ECLASS

ECLASS-13.0 27242292

Phoenix Contact 2025 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com