

https://www.phoenixcontact.com/us/products/2853996



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Universal DIN rail adapter, for screwing on switchgear



Commercial data

Item number	2853996
Packing unit	5 pc
Minimum order quantity	5 pc
Sales key	AC07
Product key	ACGEAD
GTIN	4017918190279
Weight per piece (including packing)	148.17 g
Weight per piece (excluding packing)	148.17 g
Customs tariff number	79070000
Country of origin	DE



https://www.phoenixcontact.com/us/products/2853996



Technical data

Product properties

Product type	DIN rail adapter
Housing type	DIN rail adapter
Product family	UTA
Туре	Fastening holes provided, integrated foot catch

Dimensions

Width	52 mm
Height	136 mm
Depth	9.6 mm

Material specifications

Housing material	Die-cast zinc
------------------	---------------

Environmental and real-life conditions

Vibration test

Specification	IEC 60068-2-6:2007-12
Specification	ILC 00000-2-0.2007-12
Frequency	10 - 150 - 10 Hz
Sweep speed	1 octave/min
Amplitude	0.35 mm (10 Hz 60.1 Hz)
Acceleration	5g (60.1 Hz 150 Hz)
Test duration per axis	2.5 h
Test directions	X-, Y- and Z-axis

Shocks

Chooke	
Specification	IEC 60068-2-27:2008-02
Pulse shape	Semi-sinusoidal
Acceleration	30g
Shock duration	18 ms
Number of shocks per direction	3
Test directions	X-, Y- and Z-axis (pos. and neg.)

Mounting



https://www.phoenixcontact.com/us/products/2853996



Classifications

_	\sim	$\Lambda \cap \cap$
		A.7.7

	ECLASS-13.0	27370419
Εī	ГІМ	
	ETIM 9.0	EC001024
U	NSPSC	
	UNSPSC 21.0	39121400

2853996

https://www.phoenixcontact.com/us/products/2853996



Environmental product compliance

EU RoHS

otions
substances above the limits
above 0.1 wt%
: 6

Phoenix Contact 2025 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com