# THERMOMARK-RIBBON 110-WMTB HF - Ink ribbon

5148007

https://www.phoenixcontact.com/us/products/5148007

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Ink ribbon, for roll printer for printing product groups WMTB HF..., WMS-2 HF..., TMT..., EMT..., EMLF..., PML-..., length: 300 m, roll length: 300 m, width: 110 mm, color: black

## Commercial data

| | |
|---|---|
| Item number | 5148007 |
| Packing unit | 1 pc |
| Minimum order quantity | 1 pc |
| Sales key | BG02 |
| Product key | BG1223 |
| GTIN | 4046356735834 |
| Weight per piece (including packing) | 347.5 g |
| Weight per piece (excluding packing) | 342.87 g |
| Customs tariff number | 96121010 |
| Country of origin | DE |

## Technical data

### Product properties

| | |
|---|---|
| Product type | Ink ribbon |
| Scope of supply | Ink ribbon |

#### Marking

| | |
|---|---|
| Identification technology | Thermal transfer |

### Dimensions

| | |
|---|---|
| Width | 110 mm |
| Length | 300 m |
| Length of roll | 300 m |

### Material specifications

| | |
|---|---|
| Color | black (RAL 9005) |
| Material | Polyester |

### Environmental and real-life conditions

#### Ambient conditions

| | |
|---|---|
| Recommended ambient temperature (storage/transport) | 5 °C ... 40 °C |
| Recommended humidity (storage/transport) | 30 % ... 80 % (Storage in a dry and dark place in the original packaging is recommended) |
| Shelf life | 12 months (see packaging date) |

## Classifications

### ECLASS

| | |
|---|---|
| ECLASS-13.0 | 19140614 |

### ETIM

| | |
|---|---|
| ETIM 9.0 | EC001694 |

### UNSPSC

| | |
|---|---|
| UNSPSC 21.0 | 44103100 |

# THERMOMARK-RIBBON 110-WMTB HF - Ink ribbon

5148007

https://www.phoenixcontact.com/us/products/5148007

## Environmental product compliance

### EU RoHS

| | |
|---|---|
| Fulfills EU RoHS substance requirements | Not applicable, No electrical and electronic equipment (EEE), cannot be used in EEE |

### EU REACH SVHC

| | |
|---|---|
| REACH candidate substance (CAS No.) | No substance above 0.1 wt% |

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com