

https://www.phoenixcontact.com/us/products/1424275



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

M12 flat gasket, for M12 flush-type connectors for rear mounting



#### Commercial data

Item number	1424275
Packing unit	100 pc
Minimum order quantity	100 pc
Sales key	AB27
Product key	ABQZCB
GTIN	4046356712316
Weight per piece (including packing)	0.139 g
Weight per piece (excluding packing)	0.114 g
Customs tariff number	40169300
Country of origin	DE



https://www.phoenixcontact.com/us/products/1424275



### Technical data

#### Notes

Notes on operation	The electrical and mechanical data specified assume that the connector pair is correctly locked and mounted. If the connector is unlocked and if there is a danger of contamination, the connector must be sealed using a protective cap > IP54. Influences arising from litz wires, cables or PCB assembly must also be taken into consideration.
--------------------	--

### Product properties

Product type	Seal
Thread type	M12

#### Environmental and real-life conditions

#### Ambient conditions

Ambient temperature (operation)	-40 °C 85 °C	



https://www.phoenixcontact.com/us/products/1424275



## Classifications

UNSPSC 21.0

#### **ECLASS**

	ECLASS-13.0	27430319			
	ECLASS-15.0	27430319			
ETIM					
	ETIM 9.0	EC001181			
UN	ISPSC				

39121400



https://www.phoenixcontact.com/us/products/1424275



## Environmental product compliance

#### EU RoHS

20 1.01.0	
Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2025 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com