

2906891

https://www.phoenixcontact.com/us/products/2906891

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Adapter for easy and correct mounting of the optical lightning sensor for measuring lightning surge currents in a rotor blade of a wind turbine generator.



Commercial data

Item number	2906891
Packing unit	1 pc
Minimum order quantity	1 pc
Note	Made to order (non-returnable)
Sales key	NULL
Product key	CLB31Z
GTIN	4055626130651
Weight per piece (including packing)	1,089 g
Weight per piece (excluding packing)	1,129.7 g
Customs tariff number	76169990
Country of origin	DE



2906891

https://www.phoenixcontact.com/us/products/2906891

Technical data

Product properties

	Product type	Assembly adapter		
Dimensions				
	Width	320 mm		
	Height	41.5 mm		
	Depth	325 mm		

Material specifications

Color	aluminum color
Material	PA 6 GF 30
	Aluminum
Material for screw connection	V4A

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	-30 °C 60 °C
Ambient temperature (storage/transport)	-40 °C 85 °C



2906891

https://www.phoenixcontact.com/us/products/2906891

Classifications

ECLASS

	ECLASS-13.0	27170192		
	ECLASS-15.0	27170192		
ETIM				
	ETIM 9.0	EC002495		
UNSPSC				

LINICD

UNSPSC 21.0 39121700



2906891

https://www.phoenixcontact.com/us/products/2906891

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions	
China RoHS		
Environment friendly use period (EFUP)	EFUP-E	
	No hazardous substances above the limits	
EU REACH SVHC		
REACH candidate substance (CAS No.)	No substance above 0.1 wt%	

Phoenix Contact 2025 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com