

UCT6M-TM 8 CUS - Marker for terminal blocks from the SNK series from ABB



0830764

<https://www.phoenixcontact.com/us/products/0830764>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Marker for terminal blocks from the SNK series from ABB, can be ordered: by sheet, white, labeled according to customer specifications, mounting type: snap into tall marker groove, for terminal block width: 8 mm, Number of individual labels: 35, text field height: 11.3 mm, text field width: 6.85 mm

Commercial data

Item number	0830764
Packing unit	1 pc
Minimum order quantity	1 pc
Note	Made to order (non-returnable)
Product key	BG8118
GTIN	4046356745802
Weight per piece (including packing)	12.49 g
Weight per piece (excluding packing)	10.6 g
Country of origin	PL

UCT6M-TM 8 CUS - Marker for terminal blocks from the SNK series from ABB



0830764

<https://www.phoenixcontact.com/us/products/0830764>

Technical data

Product properties

Product type	Klemmenmarker
Pitch	8 mm

Marking

Number of individual labels	35
Number of individual labels per row	7
Identification technology	Thermal transfer for sheets and cards

Mounting

Mounting type	snap into tall marker groove
---------------	------------------------------

Material specifications

Color	white (RAL 9010)
Material	PC
Flammability rating according to UL 94	V0
Fire protection for rail vehicles (DIN EN 45545-2) R22	HL 1 - HL 3
Fire protection for rail vehicles (DIN EN 45545-2) R23	HL 1 - HL 3
Fire protection for rail vehicles (DIN EN 45545-2) R24	HL 1 - HL 3
Components	free from silicone, halogen, and cadmium

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	-40 °C ... 100 °C
Recommended ambient temperature (storage/transport)	23 °C
Recommended humidity (storage/transport)	50 % (Storage in a dry and dark place in the original packaging is recommended)
Shelf life	2 years

Dimensions

Width	7.45 mm
Height	11.90 mm
Depth	2.75 mm
Pitch	8 mm
Length	11.9 mm

Standards and regulations

Wipe resistance	DIN EN 61010-1 (VDE 0411-1)
-----------------	-----------------------------

Standards

Standards/regulations	EN 45545-2
-----------------------	------------


UCT6M-TM 8 CUS - Marker for terminal blocks from the SNK series from ABB

0830764

<https://www.phoenixcontact.com/us/products/0830764>

Drawings

Schematic diagram



- ① Horizontal
- ② Vertical

UCT6M-TM 8 CUS - Marker for terminal blocks from the SNK series from ABB



0830764

<https://www.phoenixcontact.com/us/products/0830764>

Classifications

ECLASS

ECLASS-13.0	27281101
ECLASS-15.0	27281101

ETIM

ETIM 9.0	EC000761
----------	----------

UNSPSC

UNSPSC 21.0	39131500
-------------	----------

UCT6M-TM 8 CUS - Marker for terminal blocks from the SNK series from ABB



0830764
<https://www.phoenixcontact.com/us/products/0830764>

Environmental product compliance

EU RoHS	
Fulfills EU RoHS substance requirements	Yes, No exemptions
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%
EF3.0 Climate Change	
CO2e kg	0.054 kg CO2e

Phoenix Contact 2025 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com