

# DR-S-MLS-32 - Building management system



1228904

<https://www.phoenixcontact.com/us/products/1228904>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Milestone camera driver for Emalytics Supervisor, enables the integration of up to 32 cameras

## Commercial data

|                                      |               |
|--------------------------------------|---------------|
| Item number                          | 1228904       |
| Packing unit                         | 1 pc          |
| Minimum order quantity               | 1 pc          |
| Product key                          | DRHBAA        |
| GTIN                                 | 4063151324681 |
| Weight per piece (including packing) | 0.001 g       |
| Weight per piece (excluding packing) | 0.001 g       |

1228904

<https://www.phoenixcontact.com/us/products/1228904>

## Technical data

### Product properties

|                     |                            |
|---------------------|----------------------------|
| Product type        | Building management system |
| Area of application | Building technology        |

### System properties

|                               |             |
|-------------------------------|-------------|
| Type of software              | On-premises |
| Intended use for the software | Automation  |
|                               | Engineering |

### License information

|                  |                |
|------------------|----------------|
| Type of license  | Driver license |
| License duration | not relevant   |

### Functionality

|                       |                  |
|-----------------------|------------------|
| Integrated function   | Analysis         |
|                       | Data acquisition |
|                       | Diagnostics      |
|                       | Startup          |
|                       | Communication    |
|                       | Configuration    |
|                       | Project planning |
| Simulation            |                  |
| Supported controllers | ILC 2050 BI      |
| Number of clients     | nicht relevant   |

### System requirements

|                     |                                  |
|---------------------|----------------------------------|
| Operating system    | Windows® 10                      |
|                     | Windows® 8.1 Enterprise (64-Bit) |
|                     | Windows® Server 2012 Standard    |
|                     | Windows® Server 2012 R2 Standard |
| Interfaces          | 1 x Ethernet (10/100 Mbps), RJ45 |
| Languages supported | German, English                  |

# DR-S-MLS-32 - Building management system



1228904

<https://www.phoenixcontact.com/us/products/1228904>

## Classifications

### ECLASS

ECLASS-13.0

27242590

### ETIM

ETIM 9.0

EC001435

### UNSPSC

UNSPSC 21.0

43233600

# DR-S-MLS-32 - Building management system



1228904

<https://www.phoenixcontact.com/us/products/1228904>

## Environmental product compliance

### EU RoHS

|   |   |
|---|---|
| Fulfills EU RoHS substance requirements | Not applicable, No electrical and electronic equipment (EEE), cannot be used in EEE |
|---|---|

### EU REACH SVHC

|                                     |                            |
|-------------------------------------|----------------------------|
| REACH candidate substance (CAS No.) | No substance above 0.1 wt% |
|-------------------------------------|----------------------------|

Phoenix Contact 2025 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)