

SACC-DSI-FS-8CON-PG9/0,26 SE1 - Device connector rear mounting



1403333
<https://www.phoenixcontact.com/us/products/1403333>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Device connector rear mounting, 8-position, Socket, straight, A-coding, on free cable end, Individual wires, cable length: 0.26 m, 0.14 mm², potted, this item is expected to be lead-free from Q1 2026 in accordance with RoHS II without exception 6c (Pb < 0.1%), a lead-free alternative is possible on request in advance

Commercial data

Item number	1403333
Packing unit	100 pc
Minimum order quantity	100 pc
Product key	ABQCHE
GTIN	4046356914093
Weight per piece (including packing)	21.69 g
Weight per piece (excluding packing)	21.085 g
Country of origin	DE

SACC-DSI-FS-8CON-PG9/0,26 SE1 - Device connector rear mounting



1403333

<https://www.phoenixcontact.com/us/products/1403333>

Technical data

Notes

Order information:	Lock nut is included in the scope of delivery
--------------------	---

Mounting

Mounting type	Rear mounting (Pg9)
---------------	---------------------

Product properties

Product type	Circular connectors (device side)
Application	Signal
Number of positions	8
Coding	A
Thread type	M12

Material specifications

Material Molding compound	PUR (potted)
---------------------------	--------------

Connection data

Conductor connection	
Connection method	Individual wires
Contact connection type	Socket
Conductor cross-section	0.14 mm ²

Connector

Connection 1	
Head design	Socket
Head cable outlet	straight
Coding	A

Connection 2	
Head design	free cable end

Cable/line

Cable length	0.26 m
Cable cross section	0.14 mm ²
AWG signal line	26

Environmental and real-life conditions

Ambient conditions	
UL Type Rating	Type 4 (indoor use only)


SACC-DSI-FS-8CON-PG9/0,26 SE1 - Device connector rear mounting

1403333

<https://www.phoenixcontact.com/us/products/1403333>

Drawings

Schematic diagram



Pin assignment M12 socket, 8-pos., A-coded, view female side

SACC-DSI-FS-8CON-PG9/0,26 SE1 - Device connector rear mounting



1403333

<https://www.phoenixcontact.com/us/products/1403333>

Classifications

ECLASS

ECLASS-13.0	27440103
ECLASS-15.0	27440103

ETIM

ETIM 9.0	EC003570
----------	----------

UNSPSC

UNSPSC 21.0	39121400
-------------	----------

SACC-DSI-FS-8CON-PG9/0,26 SE1 - Device connector rear mounting



1403333

<https://www.phoenixcontact.com/us/products/1403333>

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes
Exemption	6(c)

China RoHS

Environment friendly use period (EFUP)	EFUP-50
	An article-related China RoHS declaration table can be found in the download area for the respective article under "Manufacturer declaration". For all articles with EFUP-E, no China RoHS declaration table issued and required.

EU REACH SVHC

REACH candidate substance (CAS No.)	Lead(CAS: 7439-92-1)
SCIP	2c571a0a-15bb-4e9c-8aca-f0948f21fbc3

Phoenix Contact 2025 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com