

1411517

https://www.phoenixcontact.com/us/products/1411517

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



HEAVYCON ADVANCE, IP66, B16 protective cover, for panel mounting side, with screw locking, with retaining cord, diameter of retaining cord eyelet: 3 mm

### Commercial data

| Item number                          | 1411517       |
|--------------------------------------|---------------|
| Packing unit                         | 10 pc         |
| Minimum order quantity               | 10 pc         |
| Sales key                            | BF66          |
| Product key                          | AF7AZC        |
| GTIN                                 | 4046356918718 |
| Weight per piece (including packing) | 57.31 g       |
| Weight per piece (excluding packing) | 57.31 g       |
| Customs tariff number                | 85389099      |
| Country of origin                    | DE            |



1411517

https://www.phoenixcontact.com/us/products/1411517

### Technical data

### Product properties

| Product type           | Protective cover |
|------------------------|------------------|
| Housing type           | Protective cover |
| Туре                   | B16              |
| Retaining cord present | yes              |
| Seal present           | yes              |

#### **Dimensions**

| Dimensional drawing | 123     |
|---------------------|---------|
| Width               | 55 mm   |
| Height              | 39.3 mm |
| Length              | 123 mm  |
| Diameter            | 3.5 mm  |

#### Material specifications

| Material Protective cover              | PA              |
|----------------------------------------|-----------------|
| Flammability rating according to UL 94 | V0              |
| Seal material                          | NBR             |
| Material, protective cover             | PA              |
| Locking latch material                 | Stainless steel |
| Material for screw connection          | Stainless steel |

### Mechanical properties

| Mechanical   | data |
|--------------|------|
| IVIECHALIICA | uala |

| Locking type | Screw |
|--------------|-------|
|--------------|-------|

### Environmental and real-life conditions

#### Ambient conditions

| Degree of protection            | IP66          |
|---------------------------------|---------------|
| Ambient temperature (operation) | -20 °C 100 °C |

### Mounting

|               | T. 1                                     |
|---------------|------------------------------------------|
| Assembly note | Tightening torque of locking screw: 3 Nm |





1411517

https://www.phoenixcontact.com/us/products/1411517

## Drawings

### Dimensional drawing





Dimensional drawing



1411517

https://www.phoenixcontact.com/us/products/1411517

### **Approvals**

To download certificates, visit the product detail page: https://www.phoenixcontact.com/us/products/1411517



#### EAC

Approval ID: RU C-DE.Al30.B.01102



1411517

https://www.phoenixcontact.com/us/products/1411517

## Classifications

### **ECLASS**

|    | ECLASS-13.0 | 27440208 |
|----|-------------|----------|
|    | ECLASS-15.0 | 27440208 |
| ΕΊ | ГІМ         |          |
|    | ETIM 9.0    | EC002314 |
| U  | NSPSC       |          |
|    | UNSPSC 21.0 | 39121400 |



1411517

https://www.phoenixcontact.com/us/products/1411517

### Environmental product compliance

#### EU RoHS

| Fulfills EU RoHS substance requirements | Yes, No exemptions                       |  |
|-----------------------------------------|------------------------------------------|--|
| China RoHS                              |                                          |  |
| Environment friendly use period (EFUP)  | EFUP-E                                   |  |
|                                         | No hazardous substances above the limits |  |
| EU REACH SVHC                           |                                          |  |
| REACH candidate substance (CAS No.)     | No substance above 0.1 wt%               |  |
| EF3.0 Climate Change                    |                                          |  |
| CO2e kg                                 | 1.267 kg CO2e                            |  |

Phoenix Contact 2025 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com