

1521602

https://www.phoenixcontact.com/us/products/1521602

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Commercial data

Item number	1521602
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	BF74
Product key	AF2IGA
GTIN	4063151985394
Weight per piece (including packing)	22.22 g
Weight per piece (excluding packing)	40 g
Country of origin	CN



1521602

https://www.phoenixcontact.com/us/products/1521602

Technical data

Notes

General	AHD16-9-1939S
General	Use with Size 16 socket contacts
Trade restriction	

Product properties

Product type	Contact insert
Series	AHD16-9
Application	J1939 type 1 key arrangement
Number of positions	9
Contact numbering	A-J
Shielded	no


Electrical properties

Specific dielectric strength	1500 V AC (Less than 2 mA current leakage)
Insulation resistance	min. 1000 M Ω (at 25 °C)
Nominal voltage U _N	50 V AC/DC (IEC rating)
Nominal current I _N	13 A (Size 16)

Connection data

Connection method	Crimp contacts
-------------------	----------------

Dimensions



Material specifications

Seal material	Silicon
Contact carrier material	Thermoplastic

Mechanical properties

Mec	han	ical	data

Weenanied data		
Insertion/withdrawal cycles	≥ 100	

Characteristics



1521602

https://www.phoenixcontact.com/us/products/1521602

	Specific dielectric strength	1500 V AC (Less than 2 mA current leakage)
Er	vironmental and real-life conditions	
	Ambient conditions	
	Degree of protection	IP67 (in mated condition)
	Ambient temperature (operation)	-55 °C 125 °C





https://www.phoenixcontact.com/us/products/1521602



Drawings

Dimensional drawing






Dimensional drawing



https://www.phoenixcontact.com/us/products/1521602



Schematic diagram



AHD16-9-1939S pin assignment



1521602

https://www.phoenixcontact.com/us/products/1521602

Classifications

ECLASS

	ECLASS-15.0	27440116
	ECLASS-13.0	27440116
ΕT	ТІМ	
	ETIM 9.0	EC002635



1521602

https://www.phoenixcontact.com/us/products/1521602

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2025 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com