RC-12S2S8A80GJ - Cable connector



1600352

https://www.phoenixcontact.com/us/products/1600352

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



M23, Cable connector, straight, Screw locking mechanism, No. of pos.: 12, Direction of rotation: Counter direction, contact connection type: Socket, Crimp connection, cable diameter range: 6.5 mm ... 7.5 mm

Commercial data

Item number	1600352
Packing unit	20 pc
Minimum order quantity	1 pc
Note	Made to order (non-returnable)
Product key	ABRAFA
GTIN	4046356229715
Weight per piece (including packing)	68.74 g
Weight per piece (excluding packing)	68.74 g
Country of origin	DE

RC-12S2S8A80GJ - Cable connector



https://www.phoenixcontact.com/us/products/1600352



Technical data

Notes

	Order information:	Order crimp contacts Ø 1 mm separately		
Product properties				
	Product type	Circular connector (cable-side)		

Connector

Insulating body

moduling body		
Note	Order information: Order crimp contacts Ø 1 mm separately	
Connection method	Crimp connection	
Contact switching type	Socket	
Application	Signal	
Number of positions	12	
Direction of rotation	Counter direction	
Connection profile	12	
Rated voltage Contact (Contact group 1)	48 V AC	
	74 V DC	
Rated surge voltage	1.5 kV	
Overvoltage category	III	
Degree of pollution	3	

Housing

Note	Order contact inserts separately
Туре	Cable connector housing
Thread type	M23
Design	straight
Type of locking	Screw locking mechanism
Pg screw connection	none
Material (Housing)	Metal
Degree of protection (plugged in)	IP65
	IP67
	IP68

Seal

External cable diameter	6.5 mm 7.5 mm
Seal material	NBR

RC-12S2S8A80GJ - Cable connector



1600352

https://www.phoenixcontact.com/us/products/1600352

Phoenix Contact 2025 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com