

https://www.phoenixcontact.com/us/products/1622138



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Metal protective cap, Screw locking mechanism, M23, series: SH, this item is expected to be lead-free from Q1 2027 in accordance with RoHS II without exception 6c (Pb < 0.1%), a lead-free alternative is possible on request in advance

Commercial data

Item number	1622138
Packing unit	10 pc
Minimum order quantity	10 pc
Note	Made to order (non-returnable)
Product key	ABRCDU
GTIN	4055626067001
Weight per piece (including packing)	32.59 g
Weight per piece (excluding packing)	32.372 g
Country of origin	DE



https://www.phoenixcontact.com/us/products/1622138



Technical data

Product properties

Product type	Protective cap
Series	SH
Thread type	M23

Environmental and real-life conditions

Ambient conditions


Degree of protection	IP67/68/69K



https://www.phoenixcontact.com/us/products/1622138



Drawings



Dimensional drawing



https://www.phoenixcontact.com/us/products/1622138



Classifications

ECLASS

	ECLASS-13.0	27440208		
	ECLASS-15.0	27440208		
ETIM				
	ETIM 9.0	EC002314		
UN	ISPSC			

l

UNSPSC 21.0	39121400



https://www.phoenixcontact.com/us/products/1622138



Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes
Exemption	6(c)
China RoHS	
Environment friendly use period (EFUP)	EFUP-50
	An article-related China RoHS declaration table can be found in the download area for the respective article under "Manufacturer declaration". For all articles with EFUP-E, no China RoHS declaration table issued and required.
EU REACH SVHC	
REACH candidate substance (CAS No.)	Lead(CAS: 7439-92-1)
SCIP	bf55b752-4dfa-448b-96fa-44b133cfcc6b

Phoenix Contact 2025 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com