

1662175

https://www.phoenixcontact.com/us/products/1662175

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Adapter plates with a reinforced wall, three openings for an M23 circular connector; type B24 on an M23 circular connector; for panel cutouts of type B24; gray

### Commercial data

| Item number                          | 1662175       |
|--------------------------------------|---------------|
| Packing unit                         | 10 pc         |
| Minimum order quantity               | 1 pc          |
| Sales key                            | BF66          |
| Product key                          | AF7AZD        |
| GTIN                                 | 4017918100087 |
| Weight per piece (including packing) | 37.9 g        |
| Weight per piece (excluding packing) | 37.34 g       |
| Customs tariff number                | 39269097      |
| Country of origin                    | DE            |



1662175


https://www.phoenixcontact.com/us/products/1662175

### Technical data

#### Notes

|                    | General      | For wall cutouts of type B24 |  |
|--------------------|--------------|------------------------------|--|
| Product properties |              |                              |  |
|                    | Product type | Adapter plate                |  |
|                    | Туре         | B24                          |  |
|                    | Seal present | yes                          |  |

#### **Dimensions**



| Material                               | PA  |
|--|-----|
| Flammability rating according to UL 94 | НВ  |
| Seal material                          | PTS |

### Environmental and real-life conditions

#### Ambient conditions


| Degree of protection            | IP54          |
|---------------------------------|---------------|
| Ambient temperature (operation) | -20 °C 100 °C |



1662175

https://www.phoenixcontact.com/us/products/1662175

### Drawings





1662175

https://www.phoenixcontact.com/us/products/1662175

### Classifications

### **ECLASS**

|          | ECLASS-13.0 | 27440201 |
|----------|-------------|----------|
|          | ECLASS-15.0 | 27440201 |
|          |             |          |
| ETIM     |             |          |
|          | ETIM 9.0    | EC002309 |
| LINIADOR |             |          |
| UNSPSC   |             |          |
|          | UNSPSC 21.0 | 31261500 |



1662175

https://www.phoenixcontact.com/us/products/1662175

### Environmental product compliance

#### EU RoHS

| Fulfills EU RoHS substance requirements | Yes, No exemptions                       |
|---|--|
| China RoHS                              |  |
| Environment friendly use period (EFUP)  | EFUP-E                                   |
|   | No hazardous substances above the limits |
| EU REACH SVHC                           |  |
| REACH candidate substance (CAS No.)     | No substance above 0.1 wt%               |

Phoenix Contact 2025 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com