

1207656

https://www.phoenixcontact.com/us/products/1207656

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



DIN rail perforated, similar to EN 60715, material: Steel, galvanized, passivated with a thick layer, Standard profile, color: silver

Commercial data

Item number	1207656
Packing unit	20 pc
Minimum order quantity	20 pc
Sales key	BH84
Product key	BH8422
GTIN	4046356366540
Weight per piece (including packing)	153.7 g
Weight per piece (excluding packing)	153.7 g
Customs tariff number	72166190
Country of origin	DE



1207656

https://www.phoenixcontact.com/us/products/1207656

Technical data

Product properties

Product type	DIN rail
--------------	----------

Dimensions

Dimensional drawing	R1.25 R1.25 R1.25
Width	35 mm
Hole width	15 mm
Height	15 mm
Hole height	6.2 mm
Length	250 mm
Drill hole spacing	25 mm

Material specifications

Color	silver
Material	Steel
Coating	galvanized, passivated with a thick layer

Standards and regulations

Connection in acc. with standard	IEC / EN
Tests	similar to EN 60715




https://www.phoenixcontact.com/us/products/1207656



Drawings

Dimensional drawing





1207656

https://www.phoenixcontact.com/us/products/1207656

Classifications

ECLASS

	ECLASS-13.0	27400602
	ECLASS-15.0	27400602
ETIM		
	ETIM 9.0	EC001285
UN	ISPSC	

UNSPSC 21.0 39121700



1207656

https://www.phoenixcontact.com/us/products/1207656

Environmental product compliance

EU RoHS

LO TIONO	
Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2025 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com