EH 22,5-SET/ABS GY7035 - Housing set

2202231

https://www.phoenixcontact.com/us/products/2202231

PHŒNIX CONTACT

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

DIN rail housing, Housing set, width: 22.6 mm, color: light gray (similar RAL 7035)

Your advantages

- DIN rail or panel mounting for application-specific device attachment
- Easy design-in, thanks to variable housing form factor
- Complete flexibility, thanks to PCBs with horizontal, frontal, and orthogonal orientation to the front of the device
- Three cover versions for individual PCB connections
- Integration of a wide variety of PCB connection technologies for a functional device design

Commercial data

Item number	2202231
Packing unit	1 pc
Minimum order quantity	10 pc
Sales key	AC12
Product key	ACHCHD
GTIN	4055626023076
Weight per piece (including packing)	105 g
Weight per piece (excluding packing)	60 g
Customs tariff number	84879090
Country of origin	IN

2202231

https://www.phoenixcontact.com/us/products/2202231

Technical data

Product properties

Product type	Complete housing
Housing type	DIN rail housing
Housing series	EH
Product family	EH..ABS..
Ventilation openings present	yes

Dimensions

Width	22.6 mm

Material specifications

Color (Housing)	light gray (RAL 7035)
Flammability rating according to UL 94	HB
Housing material	ABS
Surface characteristics	untreated

Environmental and real-life conditions

Ambient conditions

Max. IP code to attain	IP20
Ambient temperature (operation)	-40 °C ... 80 °C (depending on power dissipation)
Ambient temperature (storage/transport)	-40 °C ... 55 °C
Ambient temperature (assembly)	-5 °C ... 80 °C

PCB data

Type of PCB mount	Latching

Approvals

To download certificates, visit the product detail page: https://www.phoenixcontact.com/us/products/2202231

UL Recognized
Approval ID: E240868

2202231

https://www.phoenixcontact.com/us/products/2202231

Classifications

ECLASS

ECLASS-13.0	27190201
ECLASS-15.0	27190201

ETIM

ETIM 9.0	EC001031

UNSPSC

UNSPSC 21.0	31261500

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions

China RoHS

Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits

EU REACH SVHC

REACH candidate substance (CAS No.)	No substance above 0.1 wt%