

1207682

https://www.phoenixcontact.com/us/products/1207682

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



DIN rail perforated, similar to EN 60715, material: Steel, galvanized, passivated with a thick layer, Standard profile, color: silver

Commercial data

Item number	1207682
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	BE72
Product key	BE7244
GTIN	4017918936297
Weight per piece (including packing)	605 g
Weight per piece (excluding packing)	605 g
Customs tariff number	72166190
Country of origin	DE



1207682

https://www.phoenixcontact.com/us/products/1207682

Technical data

Product properties

Product type	DIN rail
--------------	----------

Dimensions

Dimensional drawing	81.25 R1.25 R1.25
Width	35 mm
Hole width	15 mm
Hole height	6.2 mm
Depth	15 mm
Length	955 mm
Drill hole spacing	25 mm

Material specifications

Color	silver-colored
Material	Steel
Coating	galvanized, passivated with a thick layer

Standards and regulations

Connection in acc. with standard	IEC / EN
Tests	similar to EN 60715




1207682

https://www.phoenixcontact.com/us/products/1207682

Drawings

Dimensional drawing





1207682

https://www.phoenixcontact.com/us/products/1207682

Classifications

ECLASS

	ECLASS-13.0	27400602
	ECLASS-15.0	27400602
ETIM		
	ETIM 9.0	EC001285
UNSPSC		
	UNSPSC 21.0	39121700



1207682

https://www.phoenixcontact.com/us/products/1207682

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2025 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com