

# MICROFOX-E - Front cutter

1212494

<https://www.phoenixcontact.com/us/products/1212494>



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Electronic front cutter, without chamfer, with opening spring

## Your advantages

- Opening spring for uniform, smooth opening
- Ergonomically shaped two-component handles for fatigue-free and non-slip use
- Through-connected joint for permanent stability and optimum distribution of force
- Mirror-polished and oiled metal surfaces, which provide maximum rust protection
- Special tool steel for permanent use

## Commercial data

|                                      |               |
|--------------------------------------|---------------|
| Item number                          | 1212494       |
| Packing unit                         | 1 pc          |
| Minimum order quantity               | 1 pc          |
| Sales key                            | BH31          |
| Product key                          | BH3151        |
| GTIN                                 | 4046356527255 |
| Weight per piece (including packing) | 96.8 g        |
| Weight per piece (excluding packing) | 93.5 g        |
| Customs tariff number                | 82032000      |
| Country of origin                    | DE            |

# MICROFOX-E - Front cutter

1212494

<https://www.phoenixcontact.com/us/products/1212494>



## Technical data

### Notes

|                                  |   |
|----------------------------------|---|
| Environmental Product Compliance |   |
| California Proposition 65        | Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration |

### Product properties

|                  |  |
|------------------|--|
| Product type     | Electronics pliers                       |
| Product property | Uniform and smooth opening               |
|                  | Ergonomically designed handle            |
|                  | Two-component handle                     |
|                  | Push-through joint                       |
|                  | Mirror-polished and oiled metal surfaces |

### Dimensions

|        |        |
|--------|--------|
| Length | 120 mm |
|--------|--------|

# MICROFOX-E - Front cutter

1212494

<https://www.phoenixcontact.com/us/products/1212494>



## Approvals

🔗 To download certificates, visit the product detail page: <https://www.phoenixcontact.com/us/products/1212494>



**EAC**

Approval ID: RU x-DE.xx08.B.02974

# MICROFOX-E - Front cutter

1212494

<https://www.phoenixcontact.com/us/products/1212494>



## Classifications

### ECLASS

|             |          |
|-------------|----------|
| ECLASS-13.0 | 21043712 |
| ECLASS-15.0 | 21043712 |

### ETIM

|          |          |
|----------|----------|
| ETIM 9.0 | EC002222 |
|----------|----------|

### UNSPSC

|             |          |
|-------------|----------|
| UNSPSC 21.0 | 22101700 |
|-------------|----------|

# MICROFOX-E - Front cutter



1212494

<https://www.phoenixcontact.com/us/products/1212494>

## Environmental product compliance

### EU RoHS

|   |   |
|---|---|
| Fulfills EU RoHS substance requirements | Not applicable, No electrical and electronic equipment (EEE), cannot be used in EEE |
|---|---|

### EU REACH SVHC

|                                     |                            |
|-------------------------------------|----------------------------|
| REACH candidate substance (CAS No.) | No substance above 0.1 wt% |
|-------------------------------------|----------------------------|

Phoenix Contact 2025 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)