

# CRIMPFOX-SCA 2,5-M - Crimping pliers



1212726

<https://www.phoenixcontact.com/us/products/1212726>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Crimping pliers, for uninsulated, left angled slip-on sleeves 6.3 mm, 1.0 mm<sup>2</sup> ... 2.5 mm<sup>2</sup>, B crimp

## Your advantages

- Unlockable pressure lock
- Marked die stations for precise processing of corresponding cross sections
- Crimping pliers for uninsulated slip-on sleeves
- Consistently high crimping quality

## Commercial data

|                                      |               |
|--------------------------------------|---------------|
| Item number                          | 1212726       |
| Packing unit                         | 1 pc          |
| Minimum order quantity               | 1 pc          |
| Sales key                            | BH31          |
| Product key                          | BH3134        |
| GTIN                                 | 4046356857857 |
| Weight per piece (including packing) | 625.1 g       |
| Weight per piece (excluding packing) | 625.1 g       |
| Customs tariff number                | 82032000      |
| Country of origin                    | SE            |

# CRIMPFOX-SCA 2,5-M - Crimping pliers



1212726

<https://www.phoenixcontact.com/us/products/1212726>

## Technical data

### Notes

#### Environmental Product Compliance

California Proposition 65

Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration

### Product properties

|                  |                                                 |
|------------------|-------------------------------------------------|
| Product type     | Crimping tool                                   |
| Compression      | B crimp                                         |
| Product property | Unlockable pressure lock                        |
|                  | Marked die stations                             |
|                  | Crimping pliers for uninsulated slip-on sleeves |

#### Crimping position 1

|                    |                     |
|--------------------|---------------------|
| Min. cross section | 1 mm <sup>2</sup>   |
| Max. cross section | 2.5 mm <sup>2</sup> |
| AWG min            | 18                  |
| AWG max            | 14                  |

### Connection data

#### Conductor connection

|                             |                                           |
|-----------------------------|-------------------------------------------|
| Cross section range, metric | 1 mm <sup>2</sup> ... 2.5 mm <sup>2</sup> |
| Cross section range AWG     | 18 ... 14                                 |

### Dimensions

|        |        |
|--------|--------|
| Width  | 22 mm  |
| Height | 76 mm  |
| Length | 204 mm |

# CRIMPFOX-SCA 2,5-M - Crimping pliers



1212726

<https://www.phoenixcontact.com/us/products/1212726>

## Approvals

🔗 To download certificates, visit the product detail page: <https://www.phoenixcontact.com/us/products/1212726>



**EAC**

Approval ID: RU x-DE.xx08.B.02974

# CRIMPFOX-SCA 2,5-M - Crimping pliers



1212726

<https://www.phoenixcontact.com/us/products/1212726>

## Classifications

### ECLASS

|             |          |
|-------------|----------|
| ECLASS-13.0 | 21043811 |
| ECLASS-15.0 | 21043811 |

### ETIM

|          |          |
|----------|----------|
| ETIM 9.0 | EC000168 |
|----------|----------|

### UNSPSC

|             |          |
|-------------|----------|
| UNSPSC 21.0 | 27111500 |
|-------------|----------|

# CRIMPFOX-SCA 2,5-M - Crimping pliers



1212726  
<https://www.phoenixcontact.com/us/products/1212726>

## Environmental product compliance

|                                         |                                                                                     |
|-----------------------------------------|-------------------------------------------------------------------------------------|
| EU RoHS                                 |                                                                                     |
| Fulfills EU RoHS substance requirements | Not applicable, No electrical and electronic equipment (EEE), cannot be used in EEE |
| EU REACH SVHC                           |                                                                                     |
| REACH candidate substance (CAS No.)     | No substance above 0.1 wt%                                                          |

Phoenix Contact 2025 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)