

https://www.phoenixcontact.com/us/products/1411439



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



EVO EMC cable gland with bayonet locking, B series, size M20, cable diameter: 9 ... 13 mm

Commercial data

Item number	1411439
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BF57
Product key	AF7APM
GTIN	4046356932370
Weight per piece (including packing)	75.9 g
Weight per piece (excluding packing)	75.9 g
Customs tariff number	85389099
Country of origin	DE



https://www.phoenixcontact.com/us/products/1411439



Technical data

Product properties

Product type	Cable screw gland
Application	EMC
No. of conductors	1
Type of the screw connection	M20
Shielded	yes

Dimensions

Dimensional drawing	023,9
Width	54 mm
Height	54.8 mm
Depth	54.8 mm
Wrench size, union nut	22 mm

Material specifications

Color	aluminum color
Material Pressure screw	Brass, nickel-plated
Seal material O-ring	NBR
Seal material Cable seal	NBR
Housing material	Die-cast aluminum, corrosion resistant
Material for screw connection	Aluminum

Cable/line

External cable diameter Cable 1	9 mm 12 mm
---------------------------------	------------

Environmental and real-life conditions

Ambient conditions

Degree of protection	IP66
	IP67
Enclosure rating (NEMA)	4 (UL 50e)
	4X (UL 50e)
	12 (UL 50e)
Ambient temperature (operation)	-40 °C 125 °C (static)


1411439


https://www.phoenixcontact.com/us/products/1411439



Drawings







Dimensional drawing



1411439

https://www.phoenixcontact.com/us/products/1411439

Approvals

To download certificates, visit the product detail page: https://www.phoenixcontact.com/us/products/1411439



cUL RecognizedApproval ID: E255026



UL RecognizedApproval ID: E255026



EAC

Approval ID: RU C-DE.Al30.B.01102



EAC-RoHS

Approval ID: RU D-DE.HB35.B.00387



1411439

https://www.phoenixcontact.com/us/products/1411439

Classifications

UNSPSC 21.0

ECLASS

	ECLASS-13.0	27140801
	ECLASS-15.0	27140801
ETIM		
	ETIM 9.0	EC000441
UN	ISPSC	

39121300



https://www.phoenixcontact.com/us/products/1411439



Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes
Exemption	6(c)
China RoHS	
Environment friendly use period (EFUP)	EFUP-50
	An article-related China RoHS declaration table can be found in the download area for the respective article under "Manufacturer declaration". For all articles with EFUP-E, no China RoHS declaration table issued and required.
EU REACH SVHC	
REACH candidate substance (CAS No.)	Lead(CAS: 7439-92-1)
SCIP	35b03e06-49e7-4492-926c-c3a865fc3d61

Phoenix Contact 2025 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com