RC-17P1N8AWB00 - Device connector front mounting



1601624

https://www.phoenixcontact.com/us/products/1601624

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



M23, Device connector front mounting, series: RC, straight, shielded: yes, Screw locking mechanism, No. of pos.: 17, Direction of rotation: Standard, contact connection type: Pin, Crimp connection, Axial O-ring, coding: N

Commercial data

Item number	1601624
Packing unit	40 pc
Minimum order quantity	1 pc
Note	Made to order (non-returnable)
Product key	ABRAFL
GTIN	4046356235754
Weight per piece (including packing)	30.7 g
Weight per piece (excluding packing)	25.63 g
Country of origin	DE

RC-17P1N8AWB00 - Device connector front mounting



1601624

https://www.phoenixcontact.com/us/products/1601624

Technical data

Notes

	Order information:	Order crimp contacts Ø 1 mm separately		
Product properties				
	Product type	Circular connectors (device side)		

Connector

Insulating body

Note	Order information: Order crimp contacts Ø 1 mm separately
Coding	N
Material (Insulating body)	PA 6.6
Connection method	Crimp connection
Contact switching type	Pin
Application	Signal
Number of positions	17
Direction of rotation	Standard
Connection profile	17
Number Contact (Contact group 1)	17
Diameter Contact (Contact group 1)	1 mm
Rated current Contact (Contact group 1)	8 A (for max. connection cross section)
Rated voltage Contact (Contact group 1)	48 V AC
	74 V DC
Rated surge voltage	1.5 kV
Overvoltage category	III
Degree of pollution	3

Housing

Туре	Flange housing
Thread type	M23
Design	straight
Type of locking	Screw locking mechanism
Pg screw connection	none
Mounting type	Front mounting/square flange (4x Ø 3.2 mm)
Material (Housing)	Metal
Degree of protection (plugged in)	IP67
Seal for the device	Axial O-ring

RC-17P1N8AWB00 - Device connector front mounting




1601624

https://www.phoenixcontact.com/us/products/1601624

Drawings

Schematic diagram



Connector pin assignment

Phoenix Contact 2025 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com