

2203739

https://www.phoenixcontact.com/us/products/2203739

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Sealing frame, self-adhesive, lasered, for 2.8" display



Your advantages

- · Suitable for handheld devices
- · Easy integration of LCD displays and membrane keypads
- · Ergonomic straight or staggered housing design
- · Fast mounting, thanks to the modular design

Commercial data

Item number	2203739
Packing unit	1 pc
Minimum order quantity	1 pc
Product key	ACFACZ
GTIN	4055626485454
Weight per piece (including packing)	3.2 g
Weight per piece (excluding packing)	3.2 g
Country of origin	DE



https://www.phoenixcontact.com/us/products/2203739



Technical data

Product properties

Product type	Seal
Housing type	Handheld housing
Housing series	HCS
Product family	HCS
Ventilation openings present	no

Dimensions

Width	73.6 mm
Height	44.2 mm
Depth	2 mm

Material specifications

Surface characteristics	untreated
Carrace criaractoricae	antibatoa

Environmental and real-life conditions

Glow-wire test

Specification	IEC 60695-2-11:2014-02
Temperature	850 °C
Time of exposure	30 s

Thermal stability / ball thrust test

Specification	IEC 60695-10-2:2014-02
Temperature	80 °C
Test duration	1 h
Force	20



https://www.phoenixcontact.com/us/products/2203739



Classifications

UNSPSC 21.0

ECLASS

	ECLASS-13.0	27190605
	ECLASS-15.0	27190605
ETIM		
	ETIM 9.0	EC002779
UNSPSC		

31261500



https://www.phoenixcontact.com/us/products/2203739



Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
FLI DEA OLLOWIJO	
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2025 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com