

2867254

https://www.phoenixcontact.com/us/products/2867254

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Antenna cable, outside diameter: 2.5 mm (0.1 in.), inner conductor: stranded, attenuation: 0.9 dB at 900 MHz, connection: MCX (male) -> N (male), cable length: 1.2 m (4 ft.)



Your advantages

- · Easy installation, thanks to flexible inner conductor
- · For indoors

Commercial data

Item number	2867254
Packing unit	1 pc
Minimum order quantity	1 pc
Note	Made to order (non-returnable)
Sales key	DN23
Product key	DNC6A3
GTIN	4017918931797
Weight per piece (including packing)	56 g
Weight per piece (excluding packing)	56 g
Customs tariff number	85442000
Country of origin	US



2867254

https://www.phoenixcontact.com/us/products/2867254

Technical data

Product properties

Product type

Electrical properties					
	Frequency range	0.1 GHz 1 GHz			
	Impedance	50 Ω			

Adapter cable

Connection data

Connector connection

Connection method	MCX (male)	
Connector connection		
Connection method	N (male)	

Material specifications

Cable/line

Cable length	1.2 m
Cable type	RG 316
External cable diameter	2.50 mm
Outer sheath, material	Fluorinated ethylene propylene (FEP)
Bending radius, long-term	25.40 mm

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	-40 °C 75 °C
Ambient temperature (storage/transport)	-40 °C 70 °C



2867254

https://www.phoenixcontact.com/us/products/2867254

Classifications

UNSPSC

UNSPSC 21.0 26121606



2867254

https://www.phoenixcontact.com/us/products/2867254

Environmental product compliance

EU REACH SVHC

REACH candidate substance (CAS No.)

No substance above 0.1 wt%

Phoenix Contact 2025 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com