

EM RI-ADAPTER CLASSIC - Adapter



2902831

<https://www.phoenixcontact.com/us/products/2902831>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Adapter for mounting short-circuit proof hybrid motor starters of type ELR-H51 ... on 60 mm power busbars. Classic design with 200 mm design height.



Commercial data

Item number	2902831
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	C470
Product key	DK7455
GTIN	4046356685450
Weight per piece (including packing)	68.5 g
Weight per piece (excluding packing)	57.36 g
Customs tariff number	85369095
Country of origin	DE

EM RI-ADAPTER CLASSIC - Adapter



2902831

<https://www.phoenixcontact.com/us/products/2902831>

Technical data

Product properties

Product type	Assembly adapter
Product family	CONTACTRON

Dimensions

Width	22.5 mm
Height	200 mm
Depth	41.5 mm

Approvals

UKCA

Certificate	UKCA-compliant
-------------	----------------

EM RI-ADAPTER CLASSIC - Adapter



2902831

<https://www.phoenixcontact.com/us/products/2902831>

Classifications

ECLASS

ECLASS-13.0	27371392
-------------	----------

ETIM

ETIM 9.0	EC002498
----------	----------

UNSPSC

UNSPSC 21.0	39121100
-------------	----------

EM RI-ADAPTER CLASSIC - Adapter



2902831
<https://www.phoenixcontact.com/us/products/2902831>

Environmental product compliance

EU RoHS	
Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2025 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com