

0820523

https://www.phoenixcontact.com/us/products/0820523

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Conductor marker carrier, transparent, unmarked, cable diameter range: 2 ... 4 mm, mounting type: slide-on, text field height: 4 mm, text field width: 18 mm

## Your advantages

- The corresponding UC-WMT ..., US-WMT ..., and EMT ... insert labels are used for marking
- These conductor marking systems consist of marker carriers and insert labels
- · The PATG ... collar is a captive marker carrier
- Can be used to mark conductors with a diameter of 0.6 mm ... 50 mm

#### Commercial data

Item number	0820523
Packing unit	1,000 pc
Minimum order quantity	1,000 pc
Sales key	BG12
Product key	BG221A
GTIN	4046356294812
Weight per piece (including packing)	0.304 g
Weight per piece (excluding packing)	0.32 g
Customs tariff number	39269097
Country of origin	DE



0820523

https://www.phoenixcontact.com/us/products/0820523

## Technical data

### Product properties

Product type

Dir	Dimensions		
	Width	18 mm	
	Height	5.1 mm	
	Denth	7.2 mm	

Marker carriers

#### Material specifications

RoHS compliant	yes
Color	transparent
Material	PVC
Flammability rating according to UL 94	V0
Components	Silicone-free

#### Cable/line

External cable diameter	2 mm 4 mm	

#### Environmental and real-life conditions

Test for substances that would hinder coating with paint or varnish

Result	rest passed
Ambient conditions	
Ambient temperature (operation)	-50 °C 80 °C
Recommended ambient temperature (storage/transport)	23 °C
Recommended humidity (storage/transport)	50 %

## Mounting

Mounting type	slide-on



0820523

https://www.phoenixcontact.com/us/products/0820523

## Classifications

#### **ECLASS**

	ECLASS-13.0	27281105
	ECLASS-15.0	27281105
ETIM		
	ETIM 9.0	EC002248
1.16	ICDCC	
UNSPSC		
	UNSPSC 21.0	39121400



0820523

https://www.phoenixcontact.com/us/products/0820523

## Environmental product compliance

#### EU RoHS

LO NOTIO	
Fulfills EU RoHS substance requirements	Yes, No exemptions
EU REACH SVHC	
LU KLACIT SVIIC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%
EF3.0 Climate Change	
CO2e kg	0.001 kg CO2e

Phoenix Contact 2025 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com