

https://www.phoenixcontact.com/us/products/1212071



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



**Tool case**, equipped with: crimping pliers, pressing dies for MC3, MC4 and SOLARLOK connectors, stripping tool for commercially available solar cables, stripping tool for SUNCLIX, VDE cable cutter, VDE screwdriver: PH1, PH2, 0.6x3.5 and 0.8x4.0 slots.

### Product description

Tool set, equipped

#### Commercial data

Item number	1212071
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BH31
Product key	BH3521
GTIN	4046356454087
Weight per piece (including packing)	1,940 g
Weight per piece (excluding packing)	1,570.881 g
Customs tariff number	82060000
Country of origin	SE



https://www.phoenixcontact.com/us/products/1212071



#### Set consists of

#### CRIMPFOX-M - Crimping pliers

1212072

https://www.phoenixcontact.com/us/products/1212072



Basic pliers, for accommodating dies for a wide range of type of contacts

#### CRIMPFOX-M SR 6-1/DIE - Crimp insert

1212471

https://www.phoenixcontact.com/us/products/1212471



Die, for MC3 solar connectors, lateral entry, 2.5 ... 6  $\mathrm{mm}^2$ 



https://www.phoenixcontact.com/us/products/1212071



#### CRIMPFOX-M SR 6-2/DIE - Crimp insert

1212472

https://www.phoenixcontact.com/us/products/1212472





#### CRIMPFOX-M SR 6-3/DIE - Crimp insert

1212473

https://www.phoenixcontact.com/us/products/1212473

Die, for SOLARLOK solar connectors, lateral entry, 2.5 -  $6~\text{mm}^2$ 





https://www.phoenixcontact.com/us/products/1212071



#### WIREFOX-D SR 6 - Stripping tool

1212507

https://www.phoenixcontact.com/us/products/1212507



**Stripping tool**, for 2.5 - 6 mm<sup>2</sup> solar cables, 8.5 mm stripping length, for MC3, MC4 and SOLARLOK contacts

#### WIREFOX-D SR 6-1 - Stripping tool

1212511

https://www.phoenixcontact.com/us/products/1212511



Stripping tool, for standard 2.5, 4, and 6 mm<sup>2</sup> solar cables, with 15 mm length stop, for SUNCLIX field connectors



https://www.phoenixcontact.com/us/products/1212071



#### CUTFOX 16 VDE - Cable-cutting tool

1212126

https://www.phoenixcontact.com/us/products/1212126



Cable cutter, precision blade with macro-notching, for copper and aluminum up to 50 mm², VDE 1000 V AC/1500 V DC tested

#### SZK PH1 VDE - Screwdriver

1205150

https://www.phoenixcontact.com/us/products/1205150



Screwdriver, PH crosshead, VDE insulated, size: PH 1 x 80 mm, 2-component grip, with non-slip grip



https://www.phoenixcontact.com/us/products/1212071



#### SZK PH2 VDE - Screwdriver

1205163

https://www.phoenixcontact.com/us/products/1205163



Screwdriver, PH crosshead, VDE insulated, size: PH 2 x 100 mm, 2-component grip, with non-slip grip

#### SF-SL 0,6X3,5-100 S-VDE - Screwdriver

1212587

https://www.phoenixcontact.com/us/products/1212587



Actuation tool, for ST terminal blocks, VDE insulated, with slimmer insulation integrated in the blade, also suitable for use as a bladed screwdriver, size:  $0.6 \times 3.5 \times 100$  mm, 2-component grip, with non-slip grip



https://www.phoenixcontact.com/us/products/1212071



#### SF-SL 0,8X4,0-100 S-VDE - Screwdriver

1212588

https://www.phoenixcontact.com/us/products/1212588



Actuation tool, for ST terminal blocks, VDE insulated, with slimmer insulation integrated in the blade, also suitable for use as a bladed screwdriver, size:  $0.8 \times 4.0 \times 100$  mm, 2-component grip, with non-slip grip

#### TOOL-KIT STANDARD EMPTY - Toolbag, unequipped

1212423

https://www.phoenixcontact.com/us/products/1212423



Tool box, unequipped



https://www.phoenixcontact.com/us/products/1212071



#### Technical data

#### Notes

Environmental Prod	uct Compliance
--------------------	----------------

California Proposition 65	Further information on California's prop. 65 is available under
	"Downloads" in the manufacturer's declaration

#### Product properties

Product type	Tool set
Type of packaging	Bag

#### **Dimensions**

Width	65 mm
Height	315 mm
Length	165 mm

#### Material specifications

Color	black (RAL 9005)
-------	------------------



1212071

https://www.phoenixcontact.com/us/products/1212071

### Classifications

#### **ECLASS**

	ECLASS-13.0	21045003
	ECLASS-15.0	21045003
ETIM		
	ETIM 9.0	EC000149
U	NSPSC	
	UNSPSC 21.0	27113200



https://www.phoenixcontact.com/us/products/1212071



### Environmental product compliance

#### EU RoHS

Fulfills EU RoHS substance requirements	Not applicable, No electrical and electronic equipment (EEE), cannot be used in EEE
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2025 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com